

# Team President catalogue page 324

## Guarantee, standards, shade card and mechanisms

						3 choices of leather colour Black YB From stock	Ivory YC On request	Chocolate YE On request	1 fabric colour Black fire-resistant DO From stock	47 COLOURS On request - allow 4 weeks for delivery. See p. 346-347	1 finish for base Chrome SQ From stock	Synchro Adjustable through 50 mm
--	--	--	--	--	--	---	------------------------	----------------------------	--	---	--	-------------------------------------

## Product description

### Mechanisms

- Synchro plus mechanism with two telescopic handles and markers with instructions for use, lockable in 5 positions, with adjustable body weight tension control;
- Backrest reverse lock system;
- Seat depth adjustable through 50 mm;
- Seat height adjustable through 100 mm by means of a gas lift mechanism;

### Structure

- Seat: support frame made from beech plywood, 14 mm in thickness;
- Backrest: internal structure made from tubular steel with reinforcement strip.

### Base

- 5 star base in polished cast aluminium (chrome effect), ø 700 mm;
- Twin wheel self-locking polyamide castors, ø 65 mm.

### Padding

- Seat: CFC-free polyurethane foam, density 60/65 kg/m<sup>3</sup>, 70 mm in thickness;
- Backrest: CFC-free polyurethane foam, density 65 kg/m<sup>3</sup>, 40-80 mm in thickness (variable).

### Covering

- Seat upholstered in fabric or corrected grain leather (black, ivory or chocolate);
- Backrest fully upholstered, with rear of leather models in simulated leather.

### Multi-function arms

- Adjustable in height through 100 mm and locked into position by means of a push button mechanism;
- Adjustable in width on both sides through 32 mm by means of pull-down levers;
- Armrests adjustable in depth through 30 mm in a rear or forward direction;


- Armrests adjustable sideways through 20 mm towards or away from the centre of the chair;
- Armrests adjustable in direction through 360°;
- Armrests made from soft polyurethane.

### Cantilever visitor chair

- Chrome base;
- CFC-free polyurethane foam padding;
- Fabric or leather upholstery;
- Polyethylene glides.

**NB:** Team President chairs fitted with Xtreme Plus fabric upholstery comply with British Standard BS 5459 (24/24h office use, by individuals up to 150 kg in weight).

## The Range




	description	code	price ex. VAT		
			Fabric A	Fabric B	Leather/other
	① Leather synchro chair with multi-function arms	5 361 004 + col. + SQ	-	-	£ 930
	③ Fabric synchro chair with multi-function arms	5 361 004 + fab. + SQ	£ 768	£ 826	-
	② Leather cantilever chair with chrome base	5 361 005 + col. + SQ	-	-	£ 315
	④ Set of 2 fabric cantilever chairs with chrome base <i>Price per chair</i>	5 361 009 + fab. + SQ	£ 498 £ 249	£ 548	-

# Sinkra catalogue page 325

## Guarantee, standards, shade card and mechanisms



2 choices of leather colour




Black YB      White YH  
From stock

1 finish for base



Chrome SQ  
From stock

2 choices of mesh fabric colour



Black Ti      White TJ  
From stock



Synchro      Adjustable through 50 mm

## Product description

### Mechanisms

- Synchro plus mechanism with two telescopic handles and markers with instructions for use, lockable in 5 positions, with adjustable body weight tension control;
- Backrest reverse lock system;
- Seat depth adjustable through 50 mm;
- Seat height adjustable through 100 mm by means of a gas lift mechanism.

### Structure

- Seat: composite wooden support frame, 11 mm in thickness, and polypropylene sub-frame;
- Backrest: rigid two piece support frame made from tubular steel in a chrome finish.

### Base

- 5 star base in polished cast aluminium (chrome effect), ø 700 mm;
- Twin wheel self-locking polyamide castors, ø 65 mm.

### Padding

- Seat and backrest: CFC-free polyurethane foam, density 60/65 kg/m<sup>3</sup>, 50 mm in thickness.

### Covering

- Seat upholstered in black or white corrected grain leather;
- Backrest upholstered in hard wearing black or white PVC mesh fabric.

### Multi-function arms



- Adjustable in height through 100 mm and locked into position by means of a push button mechanism;



- Adjustable in width on both sides through 32 mm by means of pull-down levers;
- Armrests adjustable in depth through 30 mm in a rear or forward direction;
- Armrests adjustable sideways through 20 mm towards or away from the centre of the chair;
- Armrests adjustable in direction through 360°;
- Armrests made from polyurethane.

### Cantilever visitor chair



- Chrome base;
- CFC-free polyurethane foam padding;
- Seat upholstered in black or white leather, backrest in hard wearing stretched black or white polyamide mesh fabric.
- Polyethylene glides.

## The Range



	description	code	price ex. VAT
	① Synchro chair with multi-function arms		
	White leather/white mesh fabric	5 380 009 YH SQ TJ	£ 863
	Black leather/black mesh fabric	5 380 009 YB SQ Ti	£ 863
	② Cantilever visitor chair with chrome base		
	White leather/white mesh fabric	5 380 011 YH SQ TJ	£ 352
	Black leather/black mesh fabric	5 380 011 YB SQ Ti	£ 352

Guarantee, standards, shade card and mechanisms



4 combinations of wood and leather available from stock: YBSBXi, YBSBXj, YBSBXM and YCSBXj. Other combinations on request - allow 4 weeks for delivery.

Product description

Mechanisms: 2 models available

Forward axis tilt chair

- Forward axis tilt mechanism, lockable in 5 positions, with adjustable body weight tension control;
- Backrest reverse lock system;
- Seat height adjustable through 110 mm by means of a gas lift mechanism.

Conference chair

- Swivel chair of fixed height and without tilt facility fitted with automatic fixed point return mechanism.

Structure

- One piece shell made from stained beech plywood, 16 mm in thickness;
- Outer (visible) part of shell stained in a choice of wood finishes (see above).

Base

- 5 star base made from aluminium covered in grey aluminium (SB) epoxy paint, ø 650 mm;
- Forward axis tilt chair fitted with twin wheel polypropylene castors, ø 65 mm;
- Conference chair fitted with glides.

Padding

- Seat: polyurethane foam, density 55 kg/m<sup>3</sup>, 50 mm in thickness;
- Backrest: polyurethane foam, density 55 kg/m<sup>3</sup>, 40 mm in thickness;

Covering

- Corrected grain leather in a choice of black (YB), ivory (YC) or chocolate (YE).




Arms




- Fixed, non-removable arms in aluminium, with armrests in soft black polyurethane.

Cantilever visitor chair


- Aluminium (SB) base;
- Polyurethane foam padding;
- A choice of wood and leather combinations according to model (see above);
- Polypropylene glides.

The Range




	description	code	price ex. VAT
<b>Forward axis tilt chair</b>			<b>Leather/other</b>
	Colour combinations available from stock:		
	YBSBXi, YBSBXj, YBSBXM	5 359 014 YB SB + wood finish	£ 822
	YCSBXj	5 359 014 YC SB Xj	£ 872
	Colour combinations available on request:		
YBSBXf, YBSBXg, YBSBXn, YBSBXq, YBSBXR	5 359 014 YB SB + wood finish	£ 822	
YCSBXf, YCSBXf, YCSBXj	5 359 014 + col. + SB + wood finish	£ 872	
<b>Conference chair</b>			
	Colour combinations available from stock:		
	YBSBXi, YBSBXj, YBSBXM	5 359 015 YB SB + wood finish	£ 789
	YCSBXj	5 359 015 YC SB Xj	£ 822
	Colour combinations available on request:		
YBSBXf, YBSBXg, YBSBXn, YBSBXq, YBSBXR	5 359 015 YB SB + wood finish	£ 789	
YCSBXf, YCSBXf, YCSBXj	5 359 015 + col. + SB + wood finish	£ 822	
<b>Cantilever visitor chair</b>			
	Colour combinations available from stock:		
	YBSBXi, YBSBXj, YBSBXM	5 359 008 YB SB + wood finish	£ 310
	YCSBXj	5 359 008 YC SB Xj	£ 353
	Colour combinations available on request:		
YBSBXf, YBSBXg, YBSBXn, YBSBXq, YBSBXR	5 359 008 YB SB + wood finish	£ 310	
YCSBXf, YCSBXf, YCSBXj	5 359 008 + col. + SB + wood finish	£ 353	

Guarantee, standards, shade card and mechanisms



Black YB   Ivory YC   Chocolate YE

2 choices of finish for base according to model



Grey aluminium SB   Chrome SQ  
From stock



Synchro

8 choices of wood finish for shells



Light oak XF   Pear XG   Honey cherry Xi   Wenge XJ   Cherry XM   Mahogany XN   Brown Mahogany XQ   Beech XR

3 combinations of wood and leather available from stock: YBSBXI, YBSBXM and YCSBXI. Other combinations on request - allow 4 weeks for delivery.

Product description

Mechanisms

- Synchro plus mechanism with two telescopic handles and markers with instructions for use, lockable in 5 positions, with adjustable body weight tension control;
- Backrest reverse lock system;
- Seat height adjustable through 100 mm by means of a gas lift mechanism.

Structure

- Seat: support frame made from beech plywood, 12 mm in thickness;
- Backrest: support frame made from beech plywood, 6 mm in thickness;
- Rear shell made from beech plywood, 12 mm in thickness.

Base

- According to model: 5 star base in polished cast aluminium (SQ) with sides of star points lacquered in black (chrome effect), or aluminium (SB) covered in scratch-resistant grey epoxy paint, ø 700 mm;
- Twin wheel self-locking polyamide castors, ø 65 mm.

Padding

- Seat: CFC-free polyurethane foam, density 35 kg/m<sup>3</sup>, 75 mm in thickness;
- Backrest: CFC-free polyurethane foam, density 30/40 kg/m<sup>3</sup>, of variable thickness.

Covering

- Seat: corrected grain leather in a choice of black (YB), ivory (YC) or chocolate (YE);

- Backrest fully upholstered, with rear of leather models in simulated leather and rear of wood models in stained beech plywood (see above for choices of wood finish).


Fixed arms

- Made from injection-moulded soft polyurethane in a black finish with flexible steel inserts which allow the arms to follow the movement of the synchro tilt mechanism.

Cantilever visitor chair

- Chrome (SQ) or aluminium (SB) base;
- CFC-free polyurethane foam padding;
- Leather upholstery in a choice of black, ivory or chocolate;
- Polyethylene glides;
- Rear backrest of wood model made from stained beech plywood (see above for choices of wood finish).

The Range



	description	code	price ex. VAT		
<p>①</p>	<p>① Synchro chair</p> <p>3 colour combinations available from stock:</p> <p>YBSBXJ, YBSBXM</p> <p>YCSBXJ</p> <p>9 colour combinations available on request:</p> <p>YBSBXF, YBSBXC, YBSBXN, YBSBXi, YBSBXQ, YBSBXR,</p> <p>YCSBXF, YCSBXF, YCSBXJ</p>	<p>5 614 004 YB SB + wood finish</p> <p>5 614 004 YC SB XJ</p> <p>5 614 004 YB SB + wood finish</p> <p>5 614 004 + col. + SB + wood finish</p>	<p>£ 847</p> <p>£ 905</p> <p>£ 847</p> <p>£ 905</p>		
	<p>②</p>	<p>② Cantilever visitor chair</p> <p>3 colour combinations available from stock:</p> <p>YBSBXJ, YBSBXM,</p> <p>YCSBXJ</p> <p>9 colour combinations available on request:</p> <p>YBSBXF, YBSBXC, YBSBXN, YBSBXi, YBSBXQ, YBSBXR,</p> <p>YCSBXF, YCSBXF, YCSBXJ</p>	<p>5 614 005 YB SB + wood finish</p> <p>5 614 005 YC SB XJ</p> <p>5 614 005 YB SB + wood finish</p> <p>5 614 005 + col. + SB + wood finish</p>	<p>£ 310</p> <p>£ 353</p> <p>£ 310</p> <p>£ 353</p>	
		<p>③</p>	<p>③ Synchro chair</p> <p>Black leather from stock</p> <p>Chocolate leather from stock</p> <p>Ivory leather on request</p>	<p>5 614 001 YB SQ</p> <p>5 614 001 YE SQ</p> <p>5 614 001 YC SQ</p>	<p>£ 734</p> <p>£ 755</p> <p>£ 755</p>
			<p>④</p>	<p>④ Cantilever visitor chair</p> <p>Black leather from stock</p> <p>Chocolate leather from stock</p> <p>Ivory leather on request</p>	<p>5 614 006 YB SQ</p> <p>5 614 006 YE SQ</p> <p>5 614 006 YC SQ</p>

# Starlight catalogue page 328

## Guarantee, standards, shade card and mechanisms



1 leather colour



Black  
YB  
From stock

2 choices of wood finish



Cherry XM Mahogany XN  
From stock

3 choices of finish for base



Aluminium SB Chrome SQ Black SV  
From stock



Forward axis  
tilt mechanism

## Product description

### Mechanisms

- Forward axis tilt mechanism, lockable in 5 positions, with adjustable body weight tension control;
- Seat height adjustable through 80 mm by means of a gas lift mechanism.

### Structure

- Seat and backrest: two part shell made from beech plywood - main shell 11 mm in thickness; secondary shell 10 mm in thickness.

### Base

- Leather models: 5 star base in a chrome, aluminium, or black nylon finish, ø 670 mm;

- Wood models: 5 star base in cast steel with decorative trim in stained and varnished beech, ø 620 mm. Available in 2 choices of finish: cherry or mahogany;
- Twin wheel polypropylene castors, ø 50 mm.

### Padding

- Seat, backrest and headrest: polyurethane foam, density 40 kg/m<sup>3</sup>, 50 mm in thickness;
- Rear of shell: polyurethane foam, density 25 kg/m<sup>3</sup>, 10 mm in thickness.

### Covering

- Seat: black corrected grain leather;
- Backrest fully upholstered in black corrected grain leather with rear in simulated leather.



### Arms





- Leather models: beech plywood arms with foam padded armrests covered in corrected grain leather;
- Wood models: arms in stained and varnished beech. 2 choices of finish: cherry or mahogany.

### Cantilever visitor chair

- Base, according to model: chrome, aluminium, black, or solid beech stained and varnished in cherry or mahogany;
- Polyurethane foam padding;
- Corrected grain leather upholstery;
- Polypropylene glides.



## The Range



	description	code	price ex. VAT
<b>Wood models</b>			<b>Leather/other</b>
	① Forward axis tilt chair	5 317 003 YB + wood finish	£ 691
	② Cantilever visitor chair	5 317 004 YB + wood finish	£ 522
<b>Leather models</b>			
	③ Forward axis tilt chair		
	Chrome base	5 317 003 YB SQ	£ 676
	Aluminium base	5 317 003 YB SB	£ 676
	Black base	5 317 003 YB SV	£ 631
	④ Cantilever visitor chair		
	Chrome base	5 317 004 YB SQ	£ 523
	Aluminium base	5 317 004 YB SB	£ 523
	Black base	5 317 004 YB SG	£ 477

# Profile catalogue page 329

## Guarantee, standards, shade card and mechanisms



## Product description

### Mechanisms

- Synchro mechanism, lockable in 5 positions, with adjustable body weight tension control;
- Backrest reverse lock system;
- Seat height adjustable through 90 mm by means of a gas lift mechanism;

### Structure

- Seat: made from moulded wood fibre, 12 mm in thickness and with a fire safety classification of M3, protected on its underside by a semi-rigid layer of woven fabric;
- Backrest: rigid in design, made from tubular steel with transverse braces and steel support plate, fire safety classification M0.

### Base

- 5 star base made from injection-moulded aluminium covered in epoxy paint, ø 700 mm;
- Twin wheel polyamide castors, ø 50 mm.

### Padding

- Seat: self-extinguishing polyurethane foam, density 55 kg/m<sup>3</sup>, 50 mm in thickness;
- Backrest: self-extinguishing polyurethane foam, density 40 kg/m<sup>3</sup>, 65 mm in thickness, fully surrounding the metal armature of the backrest support frame.

### Covering

- Seat and backrest upholstered in fabric or full grain leather.

### Arms

- Multi-function arms, adjustable in height through 100 mm, in width through 30 mm on each side and in depth through 70 mm by manipulation of the armrests;
- Fixed, removable arms in moulded black polyurethane with steel armature.


### Optional extra












- Seat depth adjustment mechanism (50 mm adjustability).

### Cantilever visitor chair

- Tubular steel base of elliptical section in an aluminium finish;
- Self-extinguishing polyurethane foam padding;
- Fabric or leather upholstery.

## The Range



	description	code	price ex. VAT		
			Fabric A	Fabric B	Leather/other
<b>Leather models</b>					
 ①	High back synchro chairs with headrest ① With multi-function arms ② With fixed arms	5 344 030 YB SB	—	—	£ 651
 ②		5 344 029 YB SB	—	—	£ 614
<b>Fabric models</b>					
 ③	High back synchro chairs with headrest ③ With multi-function arms ④ With fixed arms	5 344 030 + fab. + SB	£ 498	£ 531	—
 ④		5 344 029 + fab. + SB	£ 481	£ 515	—
<b>Leather models</b>					
 ⑤	High back synchro chairs ⑤ With multi-function arms ⑥ With fixed arms	5 344 026 YB SB	—	—	£ 601
 ⑥		5 344 025 YB SB	—	—	£ 564
<b>Fabric models</b>					
 ⑦	High back synchro chairs ⑦ With multi-function arms ⑧ With fixed arms	5 344 026 + fab. + SB	£ 432	£ 457	—
 ⑧		5 344 025 + fab. + SB	£ 415	£ 440	—
<b>Leather model</b>					
 ⑨	⑨ High back conference chair on glides with automatic fixed point return mechanism	5 344 023 YB SB	—	—	£ 523
<b>Cantilever visitor chair</b>					
 ⑩	⑩ Leather cantilever visitor chair Aluminium epoxy lacquered base ⑪ Fabric cantilever visitor chair Aluminium epoxy lacquered base	5 344 022 YB SB	—	—	£ 473
 ⑪		5 344 022 + fab. + SB	£ 332	£ 365	—
<b>Optional extra</b>	Seat depth adjustment mechanism	5 344 021	—	—	£ 29

# Elegance catalogue page 330

## Guarantee, standards, shade card and mechanisms




1 leather colour



Black YB  
From stock

4 choices of wood finish



Cherry XM	Mahogany XN	Pear XG	Beech XR
From stock		On request	
Wood models			

1 finish for base



Black aluminium SW  
From stock  
Black models

Wood models



Forward axis tilt mechanism

Black models



Forward axis tilt mechanism

## Product description

### Mechanisms

#### Wood models

- Forward axis tilt mechanism, lockable in 5 positions (high back chair) or 2 positions (low back chair), with adjustable body weight tension control;
- Seat height adjustable through 80 mm by means of a gas lift mechanism;

#### Black models

- Central axis tilt mechanism, lockable in the forward position, with adjustable body weight tension control;
- Seat height adjustable through 80 mm by means of a gas lift mechanism;

### Structure

- One piece support frame made from beech plywood.

### Base

- Wood models: 5 star base in cast steel with decorative trim in stained and varnished beech, ø 620 mm. Available in 4 choices of finish: cherry (XM), mahogany (XN), pear (XG) and beech (XR);
- Black models: 5 star base made from moulded aluminium covered in black (SW) epoxy paint, ø 650 mm;
- Twin wheel polypropylene castors, ø 50 mm.

### Padding

- Seat: polyurethane foam, density 30 kg/m<sup>3</sup>, 75 mm in thickness;
- Backrest: polyurethane foam, density 25 kg/m<sup>3</sup>, 55 mm in thickness;
- Headrest: polyurethane foam, density 25 kg/m<sup>3</sup>, 53 mm in thickness;
- Rear of shell: polyurethane foam, density 25 kg/m<sup>3</sup>, 10 mm in thickness.

### Covering

- Seat and headrest upholstered in micro-perforated simulated leather with anti-perspirant qualities;
- Backrest upholstered in corrected grain leather.




### Arms

- Wood models: fixed, non-removable arms made from beech plywood stained in cherry, mahogany, pear or beech;
- Black models: fixed, non-removable arms with steel supports, made from beech plywood with polyurethane foam padded armrests covered in black leather.

### Cantilever visitor chair

- Base, according to model: tubular steel in a black (SG) finish, or solid beech stained in cherry (XM), mahogany (XN), pear (XG) or beech (XR);
- Polyurethane foam padding;
- Corrected grain leather upholstery;
- Polypropylene glides.

## The Range



### description

### code

### price ex. VAT

#### Wood models



Forward axis tilt chair, with arms and base in stained beech

- ① High back chair with headrest
- ② Low back chair

5 313 017 YB + wood finish  
5 313 018 YB + wood finish

£ 611  
£ 531



- ③ Cantilever visitor chair

5 313 014 YB + wood finish

£ 500

#### Black models



Central axis tilt chair

- ④ High back chair with headrest
- ⑤ Low back chair

5 313 016 YB SW  
5 313 015 YB SW

£ 473  
£ 421



- ⑥ Cantilever visitor chair with black epoxy lacquered base

5 313 014 YB SG

£ 359

# First Class catalogue page 331

## Guarantee, shade card and mechanisms



1 leather colour



Black YB  
From stock

1 finish for base



Chrome SQ  
From stock

1 wood finish



Cherry XP  
From stock



Forward axis tilt mechanism

## Product description

### Mechanisms

- Forward axis tilt mechanism, lockable in 5 positions, with adjustable body weight tension control;
- Backrest reverse lock system;
- Seat height adjustable through 110 mm by means of a gas lift mechanism;

### Structure

- One piece seat and backrest support frame made from beech plywood, 15 mm in thickness.

### Base

- Wood models: 5 star steel base with decorative trim in stained and varnished beech,  $\varnothing$  720 mm. Cherry finish;
- Black models: 5 star base in polished aluminium (chrome effect),  $\varnothing$  720 mm;
- Twin wheel polyamide castors,  $\varnothing$  50 mm.

### Padding

- Seat and backrest: polyurethane foam, density 30 kg/m<sup>3</sup>, 50 mm in thickness.

### Covering

- Seat upholstered in black crust leather;
- Backrest and headrest upholstered in black crust leather, rear of backrest in simulated leather.



### Arms





- Wood models: fixed, removable arms with 2 chrome-plated steel support rods and solid beech armrests stained in cherry and then varnished;
- Black models: fixed, removable arms with chrome-plated steel supports and armrests covered in black crust leather.

### Cantilever visitor chair

- Chrome-plated steel base;
- Polyurethane foam padding;
- Black crust leather upholstery with rear of backrest in black simulated leather;
- Polypropylene glides.



## The Range



	description	code	price ex. VAT
<b>Wood models</b>			
	① Forward axis tilt chair Arms and base in cherry-stained beech	5 363 007 YB XP	£ 440
	② Cantilever visitor chair Arms in cherry-stained beech, base in chrome-plated steel	5 363 008 YB SQ XP	£ 299
<b>Black models</b>			
	③ Forward axis tilt chair Arms covered in black leather, base in polished aluminium	5 363 007 YB SQ	£ 433
	④ Cantilever visitor chair Arms covered in black leather, base in chrome-plated steel	5 010 388 YB SQ	£ 295

# Digital catalogue page 332

## Guarantee, standards, shade card and mechanisms



## Product description

### Mechanism

- Forward axis tilt mechanism, lockable in 2 positions, with adjustable body weight tension control;
- Seat height adjustable through 80 mm by means of a gas lift mechanism;

### Structure

- One piece support frame made from beech plywood, 11 mm in thickness.

### Base

- 5 star base in black polyamide, ø 650 mm;
- Twin wheel castors with polypropylene covers, ø 50 mm.

### Padding

- Seat: polyurethane foam, density 40 kg/m<sup>3</sup>, 60 mm in thickness;

- Backrest: polyurethane foam, density 30 kg/m<sup>3</sup>, 50 mm in thickness;
- Rear of shell: polyurethane foam.

### Covering

- Seat and backrest upholstered in fabric or black crust leather.



### Arms

- Fixed, non-removable arms in black polyurethane.

### Cantilever visitor chair

- Tubular steel base in a black (SG) finish;
- CFC-free polyurethane foam padding;
- Fabric or leather upholstery;
- Polyethylene glides.


## The Range



	description	code	price ex. VAT	
			Fabric A	Leather
	① Leather forward axis tilt chair	5 663 004 YB SV	—	£ 390
	③ Fabric forward axis tilt chair	5 663 004 + fab. + SV	£ 363	—
	② Leather cantilever visitor chair	5 663 002 YB SG	—	£ 257
	④ Set of 2 fabric cantilever visitor chairs <i>Price per chair</i>	5 663 003 + fab. + SG	£ 383 £ 192	— —

# Ark catalogue page 333

## Guarantee, standards, shade card and mechanisms



## Product description

### Mechanism

- Central axis tilt mechanism, lockable in the forward position, with adjustable body weight tension control;
- Seat height adjustable through 90 mm by means of a gas lift mechanism;

### Structure

- One piece seat/backrest support frame made from beech plywood, 12 mm in thickness;
- Rear of backrest in simulated leather.

### Base

- 5 star base in black nylon, ø 660 mm;
- Twin wheel polyamide castors, ø 50 mm.

### Padding

- Seat: polyurethane foam, density 35 kg/m<sup>3</sup>, 75 mm in thickness;
- Backrest: polyurethane foam, density 30 kg/m<sup>3</sup>, 75 mm in thickness;

### Covering

- Seat and backrest upholstered in black crust leather.



### Arms

- Fixed, non-removable arms in black polypropylene.

### Cantilever visitor chair

- Tubular steel base in a black (SG) finish;
- Polyurethane foam padding;
- Crust leather upholstery;
- Polypropylene glides.

## The Range



	description	code	price ex. VAT	
			Fabric A	Leather
	① Central axis tilt chair	5 323 006 YB SV	—	£ 232
	② Cantilever visitor chair	5 323 008 YB SG	—	£ 207