

# CONTENTS

Boardroom tables	6-10, 19, 24-26
Bookcases	5, 17-18, 23
– open fronted	5, 18, 23
– glass doors	5, 17
Bookshelves	5, 17
Coffee tables	13, 16, 22
Conference ends	2, 15
Conference tables	6-10, 19, 24-26
Counter top units	11-13, 20-22
Credenzas	4, 17
Cupboards	4-5, 17-18, 23
Desks	2, 15
Filing cabinets	3, 5, 15
Folding tables	24-26
Fridges	5, 17
Internal fittings	5, 17, 23
Lecterns	5, 18
tables	Meeting Room 6-10, 19, 24-26
Open front bookcases	5, 17-18, 23
Pedestals	3, 13, 16, 22
Presentation wall cabinets	5, 18
Reception units	11-13, 20-22
Reconfigurable tables	9, 19, 24-26
Return units	3, 16
Side filers	3, 18
Specifications	1, 14
Storagewall units	23
Tables	6-10, 19, 24-26
– boardroom	24-26
– training	13, 16, 22
– coffee	6-10, 19, 24-26
– meeting	9, 19, 24-26
– re-configurable	24-26
– folding	5, 18
Television cabinet (mobile)	24-26
Training Room tables	5, 18
Training Room Accessories	26
Tilt-top Tables	10
Wire Management options	10

# NIMBUS SPECIFICATION

## DESKS AND RECEPTION BASE UNITS

TOPS 40mm bull-nosed edge  
15mm hardwood lipped - veneered over  
High density particle board

SIDE PANELS 30mm square edge  
10mm hardwood lipped - veneered over  
High density particle board

MODESTY PANELS Full depth to floor  
18mm square edge  
High density particle board  
Reception base unit modesty panels  
have kick plate

## CUPBOARDS - lockable

TOPS 40mm bull-nosed edge  
15mm hardwood lipped - veneered over  
High density particle board

CARCASSES 30mm square edge  
10mm hardwood lipped - veneered over  
High density particle board

SHELVES 18mm square edge  
Veneer lipped  
High density particle board

## TABLES

TOPS 40mm bull-nosed edge  
15mm hardwood lipped - veneered over  
High density particle board

BASES 30mm bull-nosed edge  
15mm hardwood lipped - veneered over  
High density particle board

## RECEPTION COUNTER TOP UNITS

Nimbus reception base units have full-depth modesty panels with aluminium laminate kick plates

TOPS 40mm bull-nosed edge  
15mm hardwood lipped - veneered over  
High density particle board

## PEDESTALS - lockable

TOPS 40mm bull-nosed edge  
15mm hardwood lipped - veneered over  
High density particle board

CARCASSES 30mm square edge  
10mm hardwood lipped - veneered over  
High density particle board

DRAWERS 18mm square edge to fronts  
High density particle board  
Sapele veneered 12mm mdf inners  
Filing drawers are full box drawers  
Brushed aluminium 'D' handle

## FILING CABINETS - lockable

TOPS 40mm bull-nosed edge  
15mm hardwood lipped - veneered over  
High density particle board

CARCASSES 30mm square edge  
10mm hardwood lipped - veneered over  
High density particle board














DRAWERS 18mm square edge to fronts  
Sapele veneered 12mm mdf inners  
Filing drawers are full box drawers  
Brushed aluminium 'D' handle

## INLAYS (Either on the edge or the face)

FACE 5mm wide  
50mm from edge











EDGE 4mm wide  
Centred

# NIMBUS







DESKS CONFERENCE ENDS	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
			W	D	H				
	Rectangular desk with straight, full-depth modesty panel	N-1	1800	800	720	1050	1102	1434	288
		N-2	2000	800	720	1176	1236	1608	310
		N-3	2200	800	720	1312	1378	1792	332
	Bow top desk with straight, full-depth modesty panel	N-1BT	1800	1000	720	1170	1228	1596	432
		N-2BT	2000	1000	720	1298	1364	1772	466
		N-3BT	2200	1000	720	1432	1504	1956	496
	Bow top desk with bowed, full-depth modesty panel	N-1B	1800	1000	720	1312	1378	1792	432
		N-2B	2000	1000	720	1468	1542	2004	466
		N-3B	2200	1000	720	1646	1730	2248	496
	Radial desk with straight, full-depth modesty panel	N-CO1*	1800	1200	720	1174	1234	1602	372
		N-CO2*	2000	1200	720	1312	1378	1792	430
		N-CO3*	2200	1200	720	1474	1548	2012	464
	Bow top radial desk with straight, full-depth modesty panel	N-CO1BT*	1800	1400	720	1296	1360	1768	558
		N-CO2BT*	2000	1400	720	1434	1506	1958	588
		N-CO3BT*	2200	1400	720	1598	1678	2182	626
	Bow top radial desk with bowed, full-depth modesty panel	N-CO1B*	1800	1400	720	1500	1574	2048	558
		N-CO2B*	2000	1400	720	1676	1760	2288	588
		N-CO3B*	2200	1400	720	1874	1968	2558	626
	'D' end radial desk with straight, full-depth modesty panel	N-DO1*	1800	1200	720	1500	1574	2048	662
		N-DO2*	2000	1200	720	1676	1760	2288	696
		N-DO3*	2200	1200	720	1874	1968	2558	724
	Wave desk with straight, full-depth modesty panel  (ends 800/1000)	N-WV01*	1800	1000	720	1296	1360	1768	432
		N-WV02*	2000	1000	720	1434	1506	1958	466
		N-WV03*	2200	1000	720	1598	1678	2182	496
	Cable port cover	- wood N-WMC	65	dia		88	88	88	-
		- metal N-RMC	90	dia		88	88	88	-
	3/4 conference end with arrow-head base	N-EX	1600	dia	720	1366	1434	1864	530
	Bubble conference end with arrow-head base	N-12BAR	1200	dia	720	1170	1228	1598	398
	Tear-drop conference end with arrow-head base	N-TEX	1600	dia	720	1170	1228	1598	398
	'D' end desk extension	N-04D	800	400	-	662	696	904	158

\* Please specify left or right hand when ordering

NIMBUS

RETURNS PEDESTALS SIDE FILERS	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
			W	D	H				
 (left-hand shown)	Return desk with full-depth modesty panel	N-R1*	1000	600	720	618	648	844	176
		N-R2*	1200	600	720	658	690	898	200
 (left-hand shown)	Return desk with full-depth modesty panel, small cupboard and shelf	N-R1C*	1000	600	720	986	1034	1344	176
		N-R2C*	1200	600	720	1018	1070	1390	200
 (left-hand shown)	Return desk with full-depth modesty panel, 3 drawer full height pedestal	N-R1P*	1000	600	720	1044	1096	1426	176
		N-R2P*	1200	600	720	1082	1136	1476	200
 (left-hand shown)	Wave return desk  (ends 600/800)	N-R1W*	1000	600	720	802	842	1096	268
		N-R2W*	1200	600	720	856	898	1168	300
	Fixed pedestal (incl pen tray)	2 drawer N-P2	470	545	450	590	620	806	-
		3 drawer N-P3	470	545	450	590	620	806	-
	Mobile pedestal (incl pen tray)	3 drawer N-P3M	495	545	680	696	730	950	-
		4 drawer N-P4M	495	545	680	696	730	950	-
	Desk high pedestal 600 deep (incl pen tray)	2 drawer N-FH2D60	495	600	720	834	876	1138	122
		3 drawer N-FH3D60	495	600	720	834	876	1138	122
		4 drawer N-FH4D60	495	600	720	834	876	1138	122
		bow top (extra) N-PEDB	50	76	80	104	182		
	Desk high pedestal 800 deep (incl pen tray)	2 drawer N-FH2D80	495	800	720	926	972	1264	156
		3 drawer N-FH3D80	495	800	720	926	972	1264	156
		4 drawer N-FH4D80	495	800	720	926	972	1264	156
		bow top (extra) N-PEDB	50	76	80	104	232		
	Side filer	2 drawer N-S2F	1015	600	720	1296	1360	1770	176
		3 drawer N-S3F	1015	600	1035	1514	1590	2068	176
	Bow top side filer	2 drawer N-S2FB	1015	750	720	1478	1552	2018	266
		3 drawer N-S3FB	1015	750	1035	1698	1782	2316	266

NIMBUS

STORAGE	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)	
			W	D	H					
	2 door cupboard (incl 1 shelf)	N-CR08	800	600	720	950	998	1296	154	
		N-CR10	1015	600	720	998	1048	1362	176	
		N-LS100	1015	600	1035	1174	1234	1602	176	
		N-HS170	1015	600	1720	1434	1506	1958	-	
	Single door cupboard	N-HS170/S	500	600	1720	1174	1234	1602	-	
		N-QS06	600	600	720	720	756	984	200	
	Quadrant storage	N-QS08	800	800	720	864	906	1178	240	
		2 door credenza (incl 1 shelf)	standard top N-CR10	1015	600	720	998	1048	1362	176
			bow top N-CR10B	1015	700	720	1178	1238	1608	266
fly-over top N-CR10F	1215		600	720	1178	1238	1608	200		
	3 door credenza (incl 1 shelf per compartment)	standard top N-CR15	1515	600	720	1330	1396	1816	232	
		bow top N-CR15B	1515	750	720	1542	1618	2104	346	
		fly-over top N-CR15F	1815	600	720	1542	1618	2104	264	
	4 door credenza (incl 1 shelf per compartment)	standard top N-CR20	1990	600	720	1662	1744	2268	288	
		bow top N-CR20B	1990	750	720	1906	2002	2604	430	
		fly-over top N-CR20F	2390	600	720	1906	2002	2604	332	
	Filing credenza (incl 2 filing drws, and 2 cupboards with 1 shelf per compartment)	standard top N-CRSF20	1990	600	720	2292	2406	3128	288	
		bow top <sup>1</sup> N-CRSF20B	1990	750	720	2536	2662	3460	430	
		fly-over top N-CRSF20F	2390	600	720	2536	2662	3460	332	
<sup>1</sup> please note that access to the top drawer of this unit is restricted due to the protrusion of the bow top For internal fittings please see page 5										

NIMBUS

STORAGE	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)	
			W	D	H					
	Internals	cupboard shelf	N-CSH	950	540	18	38	40	52	-
		bookcase shelf	N-BCSH	950	340	18	38	40	52	-
		pull-out frame	N-P2F	-	-	-	116	116	116	-
		pull-out shelf	N-PS	950	340	18	136	144	186	-
		lateral rails	N-LR	-	-	-	62	62	62	-
		hanging rail	N-HR	-	-	-	78	78	78	-
		Fridge	* fridge	DS-300			494	494	494	-
		** fridge conversion	N-FK			126	132	172	-	
	Glass-fronted bookcase	2 door	N-BG10	1015	400	1000	1036	1088	1414	-
	(incl 2 shelf per compartment)	3 door	N-BG15	1515	400	1000	1382	1452	1886	-
		4 door	N-BG20	1990	400	1000	1744	1830	2380	-
				(designed to be placed on credenzas)						
	Filing cabinet	2 drawer	N-FC2	515	600	720	826	868	1126	122
		3 drawer	N-FC3	515	600	1060	1014	1066	1384	122
		4 drawer	N-FC4	515	600	1365	1210	1270	1652	-
		bow top (extra)	N-PEDB		50		76	80	104	232
	Open bookshelves	2 rows	N-SH08	800	400	860	706	742	964	-
	designed to take	3 rows	N-SH12	800	400	1260	846	890	1156	-
	foolscap lever arch files	4 rows	N-SH16	800	400	1660	1012	1064	1382	-
	(incl shelves)	5 rows	N-SH20	800	400	2060	1214	1276	1658	-
				(units 1660 or over should be wall-fixed)						
	Lectern	open	N-LTO	600	400	1200	816	856	1112	-
		with door	N-LTC	600	400	1200	928	976	1268	-
	Mobile unit	open	N-MTO	800	500	720	526	552	718	-
		with door	N-MTC	800	500	720	636	668	870	-
	Presentation wall cabinet		N-MW13C	1300	250	1000	1096	1152	1496	364
			N-MW16C	1600	250	1600	1772	1862	2420	530
			N-MW19C	1900	250	1300	1772	1862	2420	496
				(internals not supplied)						
	Mobile television cabinet		N-MC10	1000	600	1400	1736	1822	1912	176
				with push-in door for wider viewing angle						
				* Fitted to right-hand side of cupboard			** Fridge conversion consists of vent, central vertical divider and half shelf			

NIMBUS

CONFERENCE TABLES	DESCRIPTION	Seats	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
				W	D	H				
	Rectangular table	6-8	N-TR2010	2000	1000	720	1048	1100	1430	332
		8-10	N-TR2412	2400	1200	720	1264	1328	1726	396
		10-12	N-TR3012	3000	1200	720	1582	1660	2158	464
		10-12	N-TR3214	3200	1400	720	1844	1936	2518	506
		12-14	N-TR3614	3600	1400	720	1990	2088	2716	552
		12-14	N-TR4014	4000	1400	720	2320	2436	3168	594
	14-16	N-TR4214	4200	1400	720	2708	2842	3696	616	
	All table prices include either panel base, arrowhead base or timber-clad legs									
	Curved end table	6-8	N-TS2010	2000	1000	720	1364	1432	1860	450
		8-10	N-TS2412	2400	1200	720	1644	1728	2244	540
		10-12	N-TS3012	3000	1200	720	2056	2160	2806	630
		10-12	N-TS3214	3200	1400	720	2396	2516	3272	690
		12-14	N-TS3614	3600	1400	720	2586	2714	3530	750
		12-14	N-TS4014	4000	1400	720	3018	3170	4120	810
	14-16	N-TS4214	4200	1400	720	3518	3694	4802	840	
	All table prices include either panel base, arrowhead base or timber-clad legs									
	'D' ended table	6-8	N-TD2010	2000	1000	720	1364	1432	1860	450
		8-10	N-TD2412	2400	1200	720	1644	1728	2244	540
		10-12	N-TD3012	3000	1200	720	2056	2160	2806	630
		10-12	N-TD3214	3200	1400	720	2396	2516	3272	690
		12-14	N-TD3614	3600	1400	720	2586	2714	3530	750
		12-14	N-TD4014	4000	1400	720	3018	3170	4120	810
	14-16	N-TD4214	4200	1400	720	3518	3694	4802	840	
	All table prices include either panel base, arrowhead base or timber-clad legs									
	Barrel table	6-8	N-TB2010	2000	1000	720	1364	1432	1860	450
		8-10	N-TB2412	2400	1200	720	1644	1728	2244	540
		10-12	N-TB3012	3000	1200	720	2056	2160	2806	630
		10-12	N-TB3214	3200	1400	720	2396	2516	3272	690
		12-14	N-TB3614	3600	1400	720	2586	2714	3530	750
		12-14	N-TB4014	4000	1400	720	3018	3170	4120	810
	14-16	N-TB4214	4200	1400	720	3518	3694	4802	840	
	All table prices include either panel base, arrowhead base or timber-clad legs									
	Curved end Barrel table	6-8	N-TE2010	2000	1000	720	1744	1800	2340	550
		8-10	N-TE2412	2400	1200	720	2044	2146	2790	640
		10-12	N-TE3012	3000	1200	720	2456	2580	3352	730
		10-12	N-TE3214	3200	1400	720	2896	3042	3954	790
		12-14	N-TE3614	3600	1400	720	3086	3240	4212	850
		12-14	N-TE4014	4000	1400	720	3518	3694	4802	910
	14-16	N-TE4214	4200	1400	720	4018	4220	5486	940	
	All table prices include either panel base, arrowhead base or timber-clad legs									
FOR CONTRAST EDGE, PANEL INLAY AND WIRE MANAGEMENT OPTIONS - please see Page 10										
FOR INFORMATION REGARDING THE NUMBER OF SECTIONS AND/OR BASES - please see Page 10										
* Please add leg codes when ordering tables    panel base = SB    arrowhead base = AR    timber clad legs = TC										

NIMBUS

CONFERENCE TABLES	DESCRIPTION	Seats	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
				W	D	H				
	Rectangular table 	6-8	N-TR2010	2000	1000	720	1364	1432	1860	332
		8-10	N-TR2412	2400	1200	720	1644	1728	2244	396
		10-12	N-TR3012	3000	1200	720	2056	2160	2806	464
		10-12	N-TR3214	3200	1400	720	2396	2516	3272	506
		12-14	N-TR3614	3600	1400	720	2586	2714	3530	552
		12-14	N-TR4014	4000	1400	720	3018	3170	4120	594
		14-16	N-TR4214	4200	1400	720	3518	3694	4802	616
	Curved end table 	6-8	N-TS2010	2000	1000	720	1772	1862	2420	450
		8-10	N-TS2412	2400	1200	720	2138	2246	2918	540
		10-12	N-TS3012	3000	1200	720	2674	2808	3650	630
		10-12	N-TS3214	3200	1400	720	3114	3270	4252	690
		12-14	N-TS3614	3600	1400	720	3360	3528	4586	750
		12-14	N-TS4014	4000	1400	720	3924	4120	5356	810
		14-16	N-TS4214	4200	1400	720	4574	4802	6244	840
	'D' ended table 	6-8	N-TD2010	2000	1000	720	1772	1862	2420	450
		8-10	N-TD2412	2400	1200	720	2138	2246	2918	540
		10-12	N-TD3012	3000	1200	720	2674	2808	3650	630
		10-12	N-TD3214	3200	1400	720	3114	3270	4252	690
		12-14	N-TD3614	3600	1400	720	3360	3528	4586	750
		12-14	N-TD4014	4000	1400	720	3924	4120	5356	810
		14-16	N-TD4214	4200	1400	720	4574	4802	6244	840
	Barrel table 	6-8	N-TB2010	2000	1000	720	1772	1862	2420	450
		8-10	N-TB2412	2400	1200	720	2138	2246	2918	540
		10-12	N-TB3012	3000	1200	720	2674	2808	3650	630
		10-12	N-TB3214	3200	1400	720	3114	3270	4252	690
		12-14	N-TB3614	3600	1400	720	3360	3528	4586	750
		12-14	N-TB4014	4000	1400	720	3924	4120	5356	810
		14-16	N-TB4214	4200	1400	720	4574	4802	6244	840
	Curved end Barrel table 	6-8	N-TO2010	2000	1000	720	2122	2228	2896	550
		8-10	N-TO2412	2400	1200	720	2538	2664	3464	640
		10-12	N-TO3012	3000	1200	720	3074	3228	4196	730
		10-12	N-TO3214	3200	1400	720	3614	3796	4934	790
		12-14	N-TO3614	3600	1400	720	3860	4054	5270	850
		12-14	N-TO4014	4000	1400	720	4424	4646	6040	910
		14-16	N-TO4214	4200	1400	720	5074	5328	6926	940

FOR CONTRAST EDGE, PANEL INLAY AND WIRE MANAGEMENT OPTIONS - please see Page 10

FOR INFORMATION REGARDING THE NUMBER OF SECTIONS AND/OR BASES - please see Page 10

\* Please add leg codes when ordering tables gullwing base = GW column base = SC conical base = TB

NIMBUS

CONFERENCE TABLES	DESCRIPTION	Seats	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)		
				W	D	H						
	Rectangular table 	12-14	N-PB3214R	3200	1400	720	3116	3272	4254	506		
		14-16	N-PB3614R	3600	1400	720	3360	3528	4586	552		
		14-16	N-PB4014R	4000	1400	720	3636	3818	4962	594		
		16-18	N-PB4216R	4200	1600	720	3998	4198	5458	638		
		16-18	N-PB4616R	4600	1600	720	4318	4534	5894	682		
		20-24	N-PB5016R	5000	1600	720	4664	4898	6368	726		
		16-18	N-PB5218R	5200	1800	720	5130	5388	7004	770		
		16-18	N-PB5618R	5600	1800	720	5542	5820	7566	814		
		20-24	N-PB6018R	6000	1800	720	5986	6284	8170	858		
			Curved end table 	12-14	N-PB3214S	3200	1400	720	4050	4252	5528	690
				14-16	N-PB3614S	3600	1400	720	4368	4586	5962	750
14-16	N-PB4014S			4000	1400	720	4718	4952	6438	810		
16-18	N-PB4216S			4200	1600	720	5190	5450	7084	870		
16-18	N-PB4616S			4600	1600	720	5604	5884	7648	930		
20-24	N-PB5016S			5000	1600	720	6052	6356	8262	990		
16-18	N-PB5218S			5200	1800	720	6658	6990	9088	1050		
16-18	N-PB5618S			5600	1800	720	7190	7550	9816	1110		
20-24	N-PB6018S			6000	1800	720	7766	8154	10600	1170		
	'D' ended table 			12-14	N-PB3214D	3200	1400	720	4050	4252	5528	690
				14-16	N-PB3614D	3600	1400	720	4368	4586	5962	750
		14-16	N-PB4014D	4000	1400	720	4718	4952	6438	810		
		16-18	N-PB4216D	4200	1600	720	5190	5450	7084	870		
		16-18	N-PB4616D	4600	1600	720	5604	5884	7648	930		
		20-24	N-PB5016D	5000	1600	720	6052	6356	8262	990		
		16-18	N-PB5218D	5200	1800	720	6658	6990	9088	1050		
		16-18	N-PB5618D	5600	1800	720	7190	7550	9816	1110		
		20-24	N-PB6018D	6000	1800	720	7766	8154	10600	1170		
			Barrel table 	12-14	N-PB3214B	3200	1400	720	4050	4252	5528	690
				14-16	N-PB3614B	3600	1400	720	4368	4586	5962	750
14-16	N-PB4014B			4000	1400	720	4718	4952	6438	810		
16-18	N-PB4216B			4200	1600	720	5190	5450	7084	870		
16-18	N-PB4616B			4600	1600	720	5604	5884	7648	930		
20-24	N-PB5016B			5000	1600	720	6052	6356	8262	990		
16-18	N-PB5218B			5200	1800	720	6658	6990	9088	1050		
16-18	N-PB5618B			5600	1800	720	7190	7550	9816	1110		
20-24	N-PB6018B			6000	1800	720	7766	8154	10600	1170		
	Curved end Barrel table 			12-14	N-PB3214E	3200	1400	720	4550	4778	6212	790
				14-16	N-PB3614E	3600	1400	720	4868	5112	6646	850
		14-16	N-PB4014E	4000	1400	720	5218	5480	7124	910		
		16-18	N-PB4216E	4200	1600	720	5790	6080	7904	990		
		16-18	N-PB4616E	4600	1600	720	6204	6514	8468	1050		
		20-24	N-PB5016E	5000	1600	720	6652	6986	9080	1110		
		16-18	N-PB5218E	5200	1800	720	7358	7726	10044	1200		
		16-18	N-PB5618E	5600	1800	720	7890	8284	10770	1260		
		20-24	N-PB6018E	6000	1800	720	8466	8890	11556	1320		

FOR CONTRAST EDGE, PANEL INLAY AND WIRE MANAGEMENT OPTIONS - please see Page 10

FOR INFORMATION REGARDING THE NUMBER OF SECTIONS AND/OR BASES - please see Page 10

NIMBUS

CONFERENCE TABLES	DESCRIPTION	Seats	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
				W	D	H				
	Re-configurable tables on Slab base	2	N-TM14	1400	720	720	862	906	1178	234
		3	N-TM21	2100	720	720	946	994	1290	310
		2-4	N-TMSEMI	1540	720	720	1410	1480	1924	368
	Plectrum table	6	N-TP16	1600	720		1880	1974	2566	620
	On pedestal base NO plinth									
	Circular table	3-5	N-TC08	800	dia	720	1014	1066	1384	266
		4-6	N-TC10	1000	dia	720	1080	1134	1474	332
		5-7	N-TC12	1200	dia	720	1154	1212	1574	396
		6-8	N-TC14	1400	dia	720	1242	1304	1694	496
		7-9	N-TC16	1600	dia	720	1566	1646	2140	620
		8-10	N-TC18	1800	dia	720	1660	1744	2268	734
	On cross base	9-11	N-TC20	2000	dia	720	1760	1848	2404	898
	Circular table	3-5	N-TC08	800	dia	720	1212	1272	1654	266
		4-6	N-TC10	1000	dia	720	1300	1366	1774	332
		5-7	N-TC12	1200	dia	720	1372	1440	1872	396
		6-8	N-TC14	1400	dia	720	1460	1534	1992	496
	Prices include either column base or conical base									
	Circular table	3-5	N-PB08C	800	dia	720	1334	1400	1820	266
		4-6	N-PB10C	1000	dia	720	1430	1502	1952	332
		5-7	N-PB12C	1200	dia	720	1510	1586	2062	396
		6-8	N-PB14C	1400	dia	720	1606	1686	2192	496
		7-9	N-PB16C	1600	dia	720	2068	2172	2824	620
		8-10	N-PB18C	1800	dia	720	2192	2302	2992	734
	On pedestal base with silver (std) or copper plinth	9-11	N-PB20C	2000	dia	720	2324	2440	3172	898

OPTIONS

QUADRANT VENEERS - with centre square inlay (round tables only)	274
FOR CONTRAST EDGE, PANEL INLAY AND WIRE MANAGEMENT OPTIONS - please see Page 10	
FOR INFORMATION REGARDING THE NUMBER OF SECTIONS AND/OR BASES - please see Page 10	
FOR COFFEE TABLES - please see Page 13	

\* Please add leg codes when ordering tables  
 panel base = SB arrowhead base = AR timber-clad legs = TC  
 gullwing base = GW column base = SC conical base = TB

NIMBUS

CONFERENCE TABLE OPTIONS						
SIZE	PANEL INLAY	EXTRA MODESTY PANEL	CABLE TRAY	CONTRAST EDGE		
				Rectangular	D end/Barrel/ /Curved End	Barrel with curved ends
2000 x 1000	158	70	70	110	144	180
2400 x 1200	178	84	84	134	174	216
3000 x 1200	316	106	106	166	216	258
3200 x 1400	336	116	116	194	252	306
3600 x 1400	378	126	126	210	272	324
4000 x 1400	420	136	136	244	318	370
4200 x 1400	442	148	148	286	370	422
4200 x 1600	442	140	140	286	364	490
4600 x 1600	484	160	160	306	390	528
5000 x 1600	526	180	180	328	420	568
5200 x 1800	546	190	190	352	452	610
5600 x 1800	588	210	210	378	488	656
6000 x 1800	630	230	230	408	524	706

SECTIONS AND BASES

PANEL/ARROWHEAD BASE/TC LEGS			GULLWING/COLUMN/CONICAL BASE			PEDESTAL BASE		
2000 x 1000	1	2	2000 x 1000	1	2	3200 x 1400	2	2
2400 x 1200	1	2	2400 x 1200	1	2	3600 x 1400	2	3
3000 x 1200	2	2	3000 x 1200	2	2	4000 x 1400	2	3
3200 x 1400	2	2	3200 x 1400	2	2	4200 x 1600	3	3
3600 x 1400	2	2	3600 x 1400	2	3	4600 x 1600	4	3
4000 x 1400	2	3	4000 x 1400	2	3	5000 x 1600	4	3
4200 x 1400	2	3	4200 x 1400	2	3	5200 x 1800	4	3
						5600 x 1800	4	3
						6000 x 1800	5	3








WIRE MANAGEMENT OPTIONS

	PRICE
POP-UP POWER MODULE - 2 x power socket/2 x data socket and veneered cable port	264
UNDER-DESK POWER MODULE - 2 x power socket/2 x data socket	128
IN-DESK POWER MODULE - 2 x power socket/2 x data socket and flip-top	290
LIFT-UP FLAP - 250mm x 250mm, flush-fitting, veneered with concealed hinge	382
MOUSEHOLE - cable outlet in base(s)	52








OTHER OPTIONS

SQUARE INLAY - 2 50mm x 250mm	88
OTHER WIRE MANAGEMENT OPTIONS	POA
OTHER TABLE SIZES	POA













**NIMBUS RECEPTION**

BASE UNITS	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
			W	D	H				
	Base unit with full-depth, straight modesty panel and kick plate  option: set-back modesty panel	N-08	800	800	720	856	900	1170	176
		N-10	1000	800	720	910	956	1242	200
		N-12	1200	800	720	968	1018	1322	220
		N-14	1400	800	720	1032	1084	1408	244
		N-16	1600	800	720	1094	1150	1494	264
		N-18	1800	800	720	1154	1212	1574	288
N-20	2000	800	720	1242	1304	1694	308		
	Counter top unit for base units above	N-5DO	550	400	420	508	534	694	98
		N-8DO	800	400	420	568	596	774	132
		N-10DO	1000	400	420	604	634	824	156
		N-12DO	1200	400	420	638	670	872	176
		N-14DO	1400	400	420	684	718	932	200
		N-16DO	1600	400	420	728	764	992	220
		N-18DO	1800	400	420	774	812	1056	244
		N-20DO	2000	400	420	822	862	1122	264
	Counter top unit with 'D' end (s) for base units above	N-5DOD	550	400	420	732	768	998	N/A
		N-8DOD	800	400	420	818	858	1116	N/A
		N-10DOD	1000	400	420	870	914	1188	N/A
		N-12DOD	1200	400	420	920	966	1256	N/A
		N-14DOD	1400	400	420	984	1032	1342	N/A
		N-16DOD	1600	400	420	1046	1098	1428	N/A
		N-18DOD	1800	400	420	1112	1166	1516	N/A
		N-20DOD	2000	400	420	1182	1242	1614	N/A
	Bow top base unit with full-depth, bowed modesty panel and kick plate	N-12B	1200	800	720	1492	1566	2036	332
		N-12BDO	-	-	-	1170	1228	1598	264
	Bow end base unit with full-depth, straight modesty panel and kick plate  option: set-back modesty panel	N-10D*	1000	800	720	1178	1238	1608	210
		N-12D*	1200	800	720	1250	1312	1706	220
		N-14D*	1400	800	720	1324	1390	1806	244
		N-16D*	1600	800	720	1404	1474	1824	264
		N-18D*	1800	800	720	1490	1564	2032	288
N-20D*	2000	800	720	1576	1654	2150	308		
	Kidney shaped reception unit with full-depth modesty panel and kick plate	N-FSR	2000	1000	720	1926	2022	2630	562
		N-FSRWT	1180	300	215	646	678	880	-
	Glass shelf for N-FSR above	N-FSRGS	1180	300	215	Clear 784	Frosted 838	Colour 880	-

**NIMBUS RECEPTION**

COUNTER TOP UNITS SHELVES PEDESTALS	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
			W	D	H				
	Segment base unit 60 ° with full-depth, bowed modesty panel and kick plate  option: set-back modesty panel	N-R60S	1680	1680	720	1548	1626	2114	396
		N-R60SDO	-	-	-	1280	1344	1746	332
	Counter top unit with 'D' end (s) for base units above	N-R60SDOD	-	-	-	1500	1574	2048	N/A
		N-R30S	1120	1220	720	1298	1364	1772	264
	Half segment counter top unit	N-R30SDO	-	-	-	940	986	1282	200
		N-R30SDO	-	-	-	1230	1292	1678	N/A
	Segment base unit 90 ° with full-depth, bowed modesty panel and kick plate  option: set-back modesty panel	N-R90S	1400	1400	720	1548	1626	2114	396
		N-R90SDO	-	-	-	1280	1344	1746	332
	Counter top unit with 'D' end (s) for base units above	N-R90SDOD	-	-	-	1500	1574	2048	N/A
		N-R45S	1400	1000	720	1298	1364	1772	264
	Half segment counter top unit	N-R45SDO	-	-	-	940	986	1282	200
		N-R45SDO	-	-	-	1230	1292	1678	N/A
	Wooden shelf for N-R90S + R60S	N-R20SWT	1000	300	215	640	672	874	-
		N-R20SGS	1000	300	215	Clear 654	Frosted 700	Colour 732	-

## NIMBUS RECEPTION

COUNTER TOP UNITS SHELVES PEDESTALS	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
			W	D	H				
	Link base unit 90°	N-90L	800	800	720	1322	1388	1804	264
	with full-depth, bowed 60°	N-60L	780	780	720	1100	1156	1502	244
	modesty panel and 45°	N-45L	740	740	720	920	966	1256	232
	Link counter top unit - 90°	N-90LDO	800	400	420	940	986	1282	200
	- 60°	N-60LDO	780	400	420	872	916	1190	176
	- 45°	N-45LDO	740	400	420	762	800	1040	156
	Wooden shelf for N-90L above	N-90LWT	910	300	215	600	632	820	-
	Glass shelf for N-90L above	N-90LGS	910	300	215	Clear 578	Frosted 606	Colour 786	-
	'D' end desk extension	N-04D	800	400	-	662	696	904	158
	Wooden counter shelf - straight	N-8WT	800	300	215	522	548	712	-
	Wooden counter shelf - straight	N-10WT	1000	300	215	564	592	768	-
	Glass counter shelf - straight	N-8GS	800	300	215	Clear 534	Frosted 570	Colour 598	-
	Glass counter shelf - straight	N-10GS	1000	300	215	574	602	782	-
	Cable port round - wood	N-WMC	65	dia		88	88	88	-
	round - metal	N-RMC	90	dia		88	88	88	-
	rectangle-plastic	C2-WMC	100	50		28	28	28	-
	Fixed pedestal 2 drawer	N-P2	470	550	450	590	620	806	-
	(incl pen tray) 3 drawer	N-P3	470	550	450	590	620	806	-
	Mobile pedestal 3 drawer	N-P3M	495	550	680	696	730	950	-
	(incl pen tray) 4 drawer	N-P4M	495	550	680	696	730	950	-
	open front (incl shelf)	N-POM	495	550	680	696	730	950	-
	Desk high pedestal 2 drawer	N-FH2D80	495	800	720	926	972	1264	156
	800 deep 3 drawer	N-FH3D80	495	800	720	926	972	1264	156
	(incl pen tray) 4 drawer	N-FH4D80	495	800	720	926	972	1264	156
	bow top (extra)	N-PEDB		50		76	80	104	232
	(no pen tray in 2 drawer ped)								
<b>COFFEE TABLES</b>									
	Coffee table round	N-CT06R	600	dia	400	868	912	1184	N/A
	with cross base round	N-CT08R	800	dia	400	920	966	1256	266
	round	N-CT10R	1000	dia	400	984	1032	1342	332
	square	N-CT06S	600	600	400	618	648	844	134
	square	N-CT08S	800	800	400	660	692	900	176
with slab base rectangular	N-CT10S	600	1000	400	672	706	920	176	

THIS IS THE STANDARD RANGE OF MODULAR RECEPTION ITEMS - FOR PRICES ON OTHER ITEMS PLEASE CONTACT THE SALES OFFICE

## STRATUS SPECIFICATION

### DESKS AND RECEPTION BASE UNITS

TOPS	30mm radius edge 10mm hardwood lipped - veneered over High density particle board
SIDE PANELS	25mm square edge 10mm hardwood lipped - veneered over High density particle board
MODESTY PANELS	3/4 depth 18mm square edge High density particle board Reception base units have full-depth modesty panels

### CUPBOARDS

TOPS	30mm radius edge 10mm hardwood lipped - veneered over High density particle board
CARCASSES	25mm square edge 10mm hardwood lipped - veneered over High density particle board
SHELVES	18mm square edge Veneer lipped High density particle board

### TABLES

TOPS	30mm radius edge 10mm hardwood lipped - veneered over High density particle board
BASES	25mm radius edge 10mm hardwood lipped - veneered over High density particle board

### RECEPTION COUNTER TOP UNITS - STRATUS

TOPS	30mm radius edge 10mm hardwood lipped - veneered over High density particle board
------	---

### PEDESTALS

TOPS	30mm radius edge 10mm hardwood lipped - veneered over High density particle board
CARCASSES	25 or 18mm square edge 10mm hardwood lipped - veneered over High density particle board
DRAWERS	18mm square edge to fronts Sapele veneered 12mm mdf inners Filing drawers are full box drawers Brushed aluminium 'D' handle

### FILING CABINETS









TOPS	30mm radius edge 10mm hardwood lipped - veneered over High density particle board
CARCASSES	25mm square edge 10mm hardwood lipped - veneered over High density particle board
DRAWERS	18mm square edge to fronts Sapele veneered 12mm mdf inners Filing drawers are full box drawers Brushed aluminium 'D' handle

### INLAYS

TOP	5mm wide 50mm from edge
EDGE	4mm wide Centred







SIDE PANELS	25mm square edge 10mm hardwood lipped - veneered over High density particle board
-------------	---

STRATUS








DESKS	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
			W	D	H				
	Rectangular desk	S-160	1600	800	720	492	516	672	266
		S-180	1800	800	720	522	548	712	288
		S-200	2000	800	720	552	580	754	310
	Extra for full-depth modesty panel	Add 'FD'			Extra	68	72	92	-
	Bow top desk	S-160B	1600	800	720	654	686	892	398
		S-180B	1800	800	720	684	718	932	432
		S-200B	2000	800	720	718	754	980	466
	Extra for full-depth modesty panel	Add 'FD'			Extra	68	72	92	-
 <small>(left-hand shown)</small>	Wave desk	S-120WW*	1200	1000	720	674	708	920	330
		S-160WW*	1600	1000	720	718	754	980	396
		S-180WW*	1800	1000	720	750	788	1024	430
		S-200WW*	2000	1000	720	786	826	1072	464
	Extra for full-depth modesty panel (ends 800/1000)	Add 'FD'			Extra	68	72	92	-
 <small>(left-hand shown)</small>	Radial desk	S-CO160*	1600	1200	720	798	838	1090	348
		S-CO180*	1800	1200	720	846	890	1156	372
		S-CO200*	2000	1200	720	902	946	1230	430
	Extra for full-depth modesty panel	Add 'FD'			Extra	68	72	92	-
 <small>(left-hand shown)</small>	Bow top radial desk	S-CO160B*	1600	1200	720	1040	1092	1420	515
		S-CO180B*	1800	1200	720	1088	1142	1486	558
		S-CO200B*	2000	1200	720	1142	1200	1560	588
	Extra for full-depth modesty panel	Add 'FD'			Extra	68	72	92	-
 <small>(left-hand shown)</small>	'D' end radial desk	S-CO160D*	1600	1200	720	1164	1222	1588	662
		S-CO180D*	1800	1200	720	1212	1272	1654	696
		S-CO200D*	2000	1200	720	1266	1330	1730	728
	Extra for full-depth modesty panel	Add 'FD'			Extra	68	72	92	-
	Cable port cover	- plastic - wood - metal	S-WMC N-WMC N-RMC	100 65 90	50 dia dia	28 88 88	28 88 88	28 88 88	- - -
	3/4 conference end with arrow-head base		S-EX	1600	dia 720	1040	1092	1422	530
	Bubble conference end with arrow-head base		S-12BAR	1200	dia 720	896	940	1222	398
	Tear-drop conference end with arrow-head base		S-TEX	1600	dia 720	896	940	1222	398
	'D' end desk extension		S-04D	800	400 -	530	556	722	158

Standard modesty panels are set back 312mm  
Full-depth modesty panels are set back 12mm (fixed pedestals cannot be used)








STRATUS

RETURNS PEDESTALS CONFERENCE ENDS	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)	
			W	D	H					
 <small>(left-hand shown)</small>	Return desk with modesty panel	S-FH80R* S-FH100R* S-FH120R*	800 1000 1200	600 600 600	720 720 720	372 394 418	390 412 440	508 536 570	156 176 200	
	Extra for full-depth modesty panel	Add 'FD'			Extra	68	72	92	-	
	Wave return desk with modesty panel,	S-WV100* S-WV120*	1000 1200	600 600	720 720	470 502	494 528	642 686	268 300	
	Extra for full-depth modesty panel	Add 'FD'			Extra	68	72	92	-	
 <small>(left-hand shown)</small>	Return desk with modesty panel 3 drawer full height pedestal	S-R1P* S-R2P*	1000 1200	600 600	720 720	940 996	986 1046	1282 1360	176 200	
	Extra for full-depth modesty panel	Add 'FD'			Extra	68	72	92	-	
	Fixed pedestal (incl pen tray)	2 drawer 3 drawer S-P2D S-P3D	425 425	470 470	420 420	334 334	352 352	456 456	- -	
	Mobile pedestal (incl pen tray)	3 drawer 4 drawer S-P3DM S-P4DM	425 425	470 470	660 660	538 538	564 564	734 734	- -	
	Desk high pedestal 600 deep	2 drawer 3 drawer 4 drawer S-FH2D60 S-FH3D60 S-FH4D60	440 440 440	600 600 600	720 720 720	706 706 706	742 742 742	964 964 964	122 122 122	
	Desk high pedestal 800 deep	2 drawer 3 drawer 4 drawer S-FH2D80 S-FH3D80 S-FH4D80	440 440 440	800 800 800	720 720 720	772 772 772	810 810 810	1052 1052 1052	156 156 156	
	COFFEE TABLES									
	  	Coffee table	round round round square square with slab base	S-CT06R S-CT08R S-CT10R S-CT66S S-CT88S S-CT10S	600 800 1000 600 800 1000	dia dia dia 600 800 600	400 400 400 400 400 400	392 514 604 278 366 378	410 540 634 292 384 398	534 702 824 378 500 516

STRATUS

STORAGE	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
			W	D	H				
	2 door cupboard (incl 1 shelf)  (for internal fittings see page 15)	S-LS08	800	500	735	606	636	826	154
		S-LS72	1000	500	735	636	668	868	176
		S-LS100	1000	500	1065	736	772	1004	176
		S-HS170	1000	500	1725	1006	1056	1374	-
		S-HS200	1000	500	2000	1118	1174	1526	-
		S-HS170/S	500	500	1725	828	878	1130	-
	Open bookshelves designed to take foolscap lever arch files  (units 1660 or over should be wall fixed)	2 rows S-SH08	800	400	860	530	556	722	-
		3 rows S-SH12	800	400	1260	634	666	866	-
		4 rows S-SH16	800	400	1660	762	800	1042	-
		5 rows S-SH20	800	400	2060	906	950	1236	-
	Internals	cupboard shelf S-SS	950	440	18	38	40	52	-
		bookcase shelf S-BCSH	950	340	18	38	40	52	-
		pull-out frame S-PF	-	-	-	116	116	110	-
		pull-out shelf S-PS	950	340	18	136	144	186	-
		lateral rails S-LR	-	-	-	62	62	62	-
		hanging rail S-HR	-	-	-	78	78	78	-
	Fridge	* fridge DS300	-	-	-	494	494	494	-
	** fridge conversion S-FK	-	-	-	84	88	116	-	
	2 door credenza (incl 1 shelf)	S-LS72	1000	500	735	636	668	868	176
	3 door credenza (incl 1 shelf per compartment)	S-CR150	1500	500	735	1192	1250	1626	232
	4 door credenza (incl 1 shelf per compartment)	S-CR20	2000	500	735	1306	1372	1784	288
	Filing credenza (incl 2 filing drwrs, and 2 cupboards with 1 shelf per compartment)	S-CRSF20	2000	500	735	1834	1926	2502	288
* Fridge will be fitted to right-hand side of cupboard as standard ** Fridge conversion consists of vent in back panel, central vertical divider and half shelf									

STRATUS

STORAGE	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
			W	D	H				
	Open-fronted bookcase (incl 2 wooden shelves per compartment)  (designed to be placed on credenzas)	S-BO10	1000	400	990	544	572	742	-
		S-BO15	1500	400	990	1052	1106	1436	-
		S-BO20	2000	400	990	1154	1212	1574	-
	Glass-fronted bookcase (incl 2 wooden shelves per compartment)  (designed to be placed on credenzas)	2 door S-BG10	1000	400	990	658	690	898	-
		3 door S-BG15	1500	400	990	1242	1304	1694	-
		4 door S-BG20	2000	400	990	1358	1424	1852	-
	Side filer	2 drawer S-SF2D	1000	500	735	860	902	1172	176
		3 drawer S-SF3D	1000	500	1065	1052	1106	1436	176
	Filing cabinet	2 drawer S-HFC2	500	500	735	622	654	848	122
		3 drawer S-HFC3	500	500	1065	764	804	1044	122
		4 drawer S-HFC4	500	500	1365	908	954	1238	-
	Lectern	open S-LTO	600	400	1200	816	856	1112	-
		with door S-LTC	600	400	1200	930	978	1270	-
	Mobile unit	open S-MTO	800	500	720	526	552	718	-
		with door S-MTC	800	500	720	636	668	870	-
	Presentation wall cabinet  (internals not supplied)	S-MW13C	1300	250	1000	1096	1152	1496	364
		S-MW16C	1600	250	1600	1752	1840	2392	530
		S-MW19C	1900	250	1300	1752	1840	2392	496

**STRATUS**

CONFERENCE TABLES	DESCRIPTION	Seats	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
				W	D	H				
	Rectangular table	6-8	S-2010	2000	1000	720	916	962	1250	332
		8-10	S-2412	2400	1200	720	970	1020	1324	396
		10-12	S-3012	3000	1200	720	1218	1280	1664	464
		10-12	S-3214	3200	1400	720	1378	1446	1880	506
		12-14	S-3614	3600	1400	720	1532	1608	2090	552
		12-14	S-4014	4000	1400	720	1732	1820	2366	594
	All table prices include either panel base, arrowhead base or timber-clad legs	14-16	S-4214	4200	1400	720	1926	2032	2630	616
	'D' ended table	6-8	S-2010D	2000	1000	720	1208	1268	1648	450
		8-10	S-2412D	2400	1200	720	1408	1478	1922	540
		10-12	S-3012D	3000	1200	720	1642	1724	2242	630
		10-12	S-3214D	3200	1400	720	1864	1956	2544	690
		12-14	S-3614D	3600	1400	720	2070	2172	2824	750
		12-14	S-4014D	4000	1400	720	2348	2466	3206	810
	All table prices include either panel base, arrowhead base or timber-clad legs	14-16	S-4214D	4200	1400	720	2608	2740	3560	840
	Barrel table	6-8	S-2010B	2000	1000	720	1208	1268	1648	450
		8-10	S-2412B	2400	1200	720	1408	1478	1922	540
		10-12	S-3012B	3000	1200	720	1642	1724	2242	630
		10-12	S-3214B	3200	1400	720	1864	1956	2544	690
		12-14	S-3614B	3600	1400	720	2070	2172	2824	750
		12-14	S-4014B	4000	1400	720	2348	2466	3206	810
	All table prices include either panel base, arrowhead base or timber-clad legs	14-16	S-4214B	4400	1400	720	2608	2740	3560	840
	Re-configurable tables on Slab base	2	S-TM14	1400	720	720	632	664	864	234
		3	S-TM21	2100	720	720	754	792	1030	310
		2-4	S-TMSEMI	1540	720	720	1128	1184	1540	368
	Circular table on cross base or timber clad legs	3-5	S-08R	800	dia	720	782	820	1066	266
		4-6	S-10R	1000	dia	720	830	872	1132	332
		5-7	S-12R	1200	dia	720	888	934	1214	396
		6-8	S-14R	1400	dia	720	954	1002	1302	496
FOR CONTRAST EDGE, PANEL INLAY AND WIRE MANAGEMENT OPTIONS - please see Page 10										
FOR INFORMATION REGARDING THE NUMBER OF BASES AND/OR SECTIONS - please see Page 10										
* Please add leg codes when ordering tables    panel base = SB    arrowhead base = AR    timber clad legs = TC										

**STRATUS RECEPTION**

BASE UNITS	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
			W	D	H				
	Base unit with full-depth modesty panel  option: set-back modesty panel	S-80FD	800	800	720	540	566	736	176
		S-100FD	1000	800	720	580	608	790	200
		S-120FD	1200	800	720	614	644	836	220
		S-140FD	1400	800	720	650	682	888	244
		S-160FD	1600	800	720	700	734	954	264
		S-180FD	1800	800	720	742	780	1016	288
		S-200FD	2000	800	720	784	824	1070	308
	Counter top unit	S-50DO	440	400	420	322	340	438	98
		S-80DO	800	400	420	352	370	492	132
		S-100DO	1000	400	420	372	392	524	156
		S-120DO	1200	400	420	394	414	554	176
		S-140DO	1400	400	420	424	444	586	200
		S-160DO	1600	400	420	448	470	624	220
		S-180DO	1800	400	420	482	506	666	244
		S-200DO	2000	400	420	504	532	708	264
	Counter top unit with 'D' ends for base units above	S-50DOD	550	400	420	538	566	734	N/A
		S-80DOD	800	400	420	602	632	822	N/A
		S-100DOD	1000	400	420	638	672	872	N/A
		S-120DOD	1200	400	420	676	712	922	N/A
		S-140DOD	1400	400	420	722	760	986	N/A
		S-160DOD	1600	400	420	768	808	1050	N/A
		S-180DOD	1800	400	420	818	858	1116	N/A
		S-200DOD	2000	400	420	868	912	1184	N/A
	Bow top base unit with full-depth modesty panel	S-12B	1200	800	720	1094	1150	1492	332
	Curved counter top unit for base unit above	S-120BDO	-	-	-	988	1038	1348	264
	Bow end base unit with full-depth modesty panel  option: set-back modesty panel	S-D100*	1000	800	720	754	790	1026	210
		S-D120*	1200	800	720	798	836	1086	220
		S-D140*	1400	800	720	846	888	1152	244
		S-D160*	1600	800	720	908	954	1238	264
		S-D180*	1800	800	720	964	1012	1316	288
		S-D200*	2000	800	720	1026	1078	1402	308
	Kidney shaped reception unit with full-depth modesty panel	S-FSR	2000	1000	720	1514	1592	2316	562
	Wooden shelf for S-FSR above	S-FSRWT	1180	300	215	646	678	880	-
	Glass shelf for S-FSR above	S-FSRGS	1180	300	215	Clear 784	Frosted 838	Colour 880	-

## STRATUS RECEPTION

COUNTER TOP UNITS SHELVES PEDESTALS	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
			W	D	H				
	Segment base unit 60 ° with full-depth, bowed modesty panel and kick plate	S-R60S	1680	1680	720	1218	1278	1662	396
	Segment counter top unit for base unit above	S-R60SDO	-	-	-	1072	1126	1464	332
	Counter top unit with 'D' end (s) for base units above	S-R60SDOD	-	-	-	1258	1320	1716	N/A
	Half segment base unit 30 ° with full-depth, bowed modesty panel and kick plate	S-R30S	1120	1220	720	1022	1072	1394	264
	Half segment counter top unit	S-R30SDO	-	-	-	788	828	1076	200
	Half segment counter top unit with 'D' end (s)	S-R30SDOD	-	-	-	1056	1110	1442	N/A
	Segment base unit 90 ° with full-depth, bowed modesty panel and kick plate	S-R90S	1400	1400	720	1218	1278	1662	396
	Segment counter top unit for base unit above	S-R90SDO	-	-	-	1072	1126	1464	332
	Counter top unit with 'D' end (s) for base units above	S-R90SDOD	-	-	-	1258	1320	1716	N/A
	Half segment base unit 45 ° with full-depth, bowed modesty panel and kick plate	S-R45S	1400	1000	720	1022	1072	1394	264
	Half segment counter top unit	S-R45SDO	-	-	-	788	828	1076	200
	Half segment counter top unit with 'D' end (s)	S-R45SDOD	-	-	-	1056	1110	1442	N/A
	Wooden shelf for S-R90S + R60S	S-R20SWT	1000	300	215	640	672	874	-
	Glass shelf for S-R90S + R60S	S-R20SGS	1000	300	215	Clear 654	Frosted 708	Colour 732	-

## STRATUS RECEPTION

COUNTER TOP UNITS SHELVES PEDESTALS	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)	
			W	D	H					
	Link base unit 90 °	S-90LFD	800	800	720	912	958	1244	264	
	with full-depth 60 °	S-60LFD	780	780	720	868	912	1184	244	
	modesty panel 45 °	S-45LFD	740	740	720	832	874	1136	232	
	Link counter top unit - 90 °	S-D90	800	400	420	854	898	1166	200	
	- 60 °	S-D60	780	400	420	820	860	1118	176	
	- 45 °	S-D45	740	400	420	786	826	1074	156	
	Wooden shelf for S-90L above	S-90LWT	910	300	215	600	632	820	-	
	Glass shelf for S-90L above	S-90LGS	910	300	215	Clear 578	Frosted 606	Colour 786	-	
	'D' end desk extension	S-04D	800	400	-	556	584	758	158	
	Wooden counter shelf - straight	S-8WT	800	300	215	522	548	712	-	
	Wooden counter shelf - straight	S-10WT	1000	300	215	564	592	768	-	
	Glass counter shelf - straight	S-8GS	800	300	215	Clear 534	Frosted 570	Colour 598	-	
	Glass counter shelf - straight	S-10GS	1000	300	215	574	602	782	-	
	Cable port	round - wood	N-WMC	65	dia	88	88	88	-	
		round - metal	N-RMC	90	dia	88	88	88	-	
		rectangle-plastic	S-WMC	100	50	28	28	28	-	
	Fixed pedestal (incl pen tray)	2 drawer	S-P2D	425	470	420	334	352	456	-
		3 drawer	S-P3D	425	470	420	334	352	456	-
	Mobile pedestal (incl pen tray)	3 drawer	S-P3DM	425	470	660	538	564	734	-
		4 drawer	S-P4DM	425	470	660	538	564	734	-
		open front (incl shelf)	S-POM	425	470	660	538	564	734	-
	Desk high pedestal 800 deep	2 drawer	S-FH2D80	440	800	720	772	810	1052	156
		3 drawer	S-FH3D80	440	800	720	772	810	1052	156
		4 drawer	S-FH4D80	440	800	720	772	810	1052	156
<b>COFFEE TABLES</b>										
	Coffee table with cross base	round	S-CT06R	600	dia	400	392	410	534	N/A
		round	S-CT08R	800	dia	400	514	540	702	266
		round	S-CT10R	1000	dia	400	604	634	824	332
		square	S-CT66S	600	600	400	278	292	378	134
		square	S-CT88S	800	800	400	366	384	500	176
		with slab base rectangular	S-CT10S	600	1000	400	378	398	516	176

THIS IS THE STANDARD RANGE OF MODULAR RECEPTION ITEMS - FOR PRICES ON OTHER ITEMS PLEASE CONTACT THE SALES OFFICE

## MODULAR STORAGE UNITS

MODULAR STORAGE UNITS	DESCRIPTION	CODE	DIMENSIONS			Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	INLAY (5mm line on doors)	
			W	D	H					
	Double door base unit with bottom plinth (empty)  (units 1400 or over should be wall-fixed)	M-SB08	988	520	800	636	668	870	220	
		M-SB10	988	520	1000	732	768	998	242	
		M-SB12	988	520	1200	840	882	1148	266	
		M-SB14	988	520	1400	966	1014	1320	292	
		M-SB17	988	520	1720	1036	1088	1414	484	
	Single door base unit with bottom plinth (empty)  (units 1400 or over should be wall-fixed)	M-SB8H	494	520	800	478	500	652	110	
		M-SB10H	494	520	1000	548	576	748	122	
		M-SB12H	494	520	1200	632	664	864	134	
		M-SB14H	494	520	1400	728	764	992	146	
		M-SB17H	494	520	1720	818	858	1116	146	
	Double door top unit (empty)  (to be fixed to base units above)	M-ST8	988	520	800	596	626	814	220	
		M-ST10	988	520	1000	688	722	938	242	
		M-ST12	988	520	1200	790	830	1078	266	
		M-ST14	988	520	1400	970	1020	1324	292	
	Single door top unit (empty)  (to be fixed to base units above)	M-ST8H	494	520	800	448	470	612	110	
		M-ST10H	494	520	1000	514	540	702	122	
		M-ST12H	494	520	1200	594	624	812	134	
		M-ST14H	494	520	1400	680	714	930	146	
	Top unit - open (empty)  (to be fixed to base units above)	M-ST8BO	988	500	800	540	568	738	-	
		M-ST10BO	988	500	1000	620	650	846	-	
		M-ST12BO	988	500	1200	714	750	976	-	
		M-ST14BO	988	500	1400	822	862	1122	-	
	Glass door top unit (empty)  (to be fixed to base units above)	M-ST08BG	988	500	800	650	682	886	-	
		M-ST10BG	988	500	1000	734	770	1000	-	
		M-ST12BG	988	500	1200	840	882	1148	-	
		M-ST14BG	988	500	1400	960	1008	1310	-	
	Internals	shelf	M-SS	950	440	18	38	40	52	-
		pull-out frame	M-PF	-	-	-	116	116	116	-
		pull-out shelf	M-PS	950	340	18	136	144	186	-
		lateral rails	M-LR	-	-	-	62	62	62	-
		hanging rail	M-HR	-	-	-	78	78	78	-

For further storage options please see Pages 3-5 and 17-18















## MEETING/TRAINING ROOM

### RE-CONFIGURABLE TABLES














	FF	PF	PC	CF	CL	TC		
	*Folding frame 720 - 735h Metal  Chrome or 9006	Pole leg 685 - 785h Metal 60mm dia Chrome or 9006	Pole castor leg 710 - 810h Metal 60mm dia Chrome or 9006	Curved leg 710 - 730h Metal 40mm dia Chrome or 9006	Conical leg 710 - 730h Metal 60-35mm dia Chrome or 9006	Timber clad 705 - 730h Wood 80mm dia To match top		
* Please note : 'FF' folding frames for rectangular tops only. Heights shown do not include tops								
	TOPS : 25mm square edge 30mm square edge 40mm square edge							
	EDGES : 3mm hardwood lipping							
	LEG POSITIONS :							
TABLES	DESCRIPTION	CODE	DIMENSIONS		Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
			W	D				
	Rectangle	R1275/25	1200	750	350	366	476	206
		R1575/25	1500	750	366	384	500	238
		R1675/25	1600	750	384	404	526	248
		R1875/25	1800	750	404	424	550	268
		R2075/25	2000	750	424	446	580	290
	Semi-circle	S1575/25	1500	750	408	428	556	354
		S1680/25	1600	800	448	470	610	370
		S2010/25	2000	1000	536	562	732	434
	Polo	P90/25	1200	1200	506	532	692	342
		T60/25	1500	750	396	416	540	198
	Quadrant	Q90/25	750	750	316	332	430	210
		S75/25	750	750	340	358	464	158
	Round	D10/25	1000	dia	492	516	672	332
		D12/25	1200	dia	540	568	738	396
		D15/25	1500	dia	594	624	812	496

\* When ordering please use full table code followed by leg code

MEETING/TRAINING ROOM

RE-CONFIGURABLE TABLES									
30 mm	TABLES	DESCRIPTION	CODE	DIMENSIONS		Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
				W	D				
					Rectangle				
	Semi-circle	S1575/30 S1680/30 S2010/30	1500 1600 2000	750 800 1000	448 492 590	470 516 620	612 672 806	354 370 434	
	Polo	P90/30	1200	1200	556	584	760	342	
	Trapezoidal	T60/30	1500	750	436	456	594	198	
	Quadrant	Q90/30	750	750	346	364	474	210	
	Square	S75/30	750	750	376	396	514	158	
	Round	D10/30 D12/30 D15/30	1000 1200 1500	dia dia dia	540 594 654	568 624 686	738 812 892	332 396 496	
40 mm	TABLES	DESCRIPTION	CODE	DIMENSIONS		Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
				W	D				
					Rectangle				
	Semi-circle	S1575/40 S1680/40 S2010/40	1500 1600 2000	750 800 1000	492 540 650	516 568 682	672 738 886	354 370 434	
	Polo	P90/40	1200	1200	614	644	838	342	
	Trapezoidal	T60/40	1500	750	478	500	652	198	
	Quadrant	Q90/40	750	750	382	402	522	210	
	Square	S75/40	750	750	414	434	566	158	
	Round	D10/40 D12/40 D15/40	1000 1200 1500	dia dia dia	594 654 718	624 686 754	812 892 980	332 396 496	

MEETING/TRAINING ROOM

RE-CONFIGURABLE TABLES - TILT-TOP									
 <p>TT Tilt-top frame 735h Chrome On lockable castors</p> <p>NOT available with 40mm tops</p>									
25 mm	TABLES	DESCRIPTION	CODE	DIMENSIONS		Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
				W	D				
					Rectangle				
	Semi-circle	S1575/25 S1680/25 S2010/25	1500 1600 2000	750 800 1000	482 506 532	506 532 558	658 692 726	354 370 434	
	Polo	P90/25	1200	1200	598	628	818	342	
	Trapezoidal	T60/25	1500	750	466	490	638	198	
	Quadrant (not tilting)	Q90/25	750	750	374	392	510	210	
	Square	S75/25	750	750	404	424	552	158	
30 mm	TABLES	DESCRIPTION	CODE	DIMENSIONS		Light Oak Cherry St.Beech Maple	Nat Walnut Am Walnut Rose Walnut	Kevisinga Stormy Oak Birdseye Maple Pippy Oak	LINE INLAY (edge OR face)
				W	D				
					Rectangle				
	Semi-circle	S1575/30 S1680/30 S2010/30	1500 1600 2000	750 800 1000	530 558 586	558 586 616	724 760 800	354 370 434	
	Polo	P90/30	1200	1200	658	692	898	342	
	Trapezoidal	T60/30	1500	750	514	538	700	198	
	Quadrant (not tilting)	Q90/30	750	750	412	432	562	210	
	Square	S75/30	750	750	446	468	608	158	

# TERMS AND CONDITIONS

## GENERAL

A C T Furniture Manufacturers Ltd (hereinafter referred to as A C T) supply all quotations, accept all orders and deliver all goods subject only to the Terms and Conditions of Sale which follow and to the exclusion of all other guarantees, conditions and warranties (including any appertaining to quality or fitness for any particular purpose) whether expressed or implied by statute or common law or otherwise.

In the event of Customer orders containing conditions, these are only binding in so far as they are not inconsistent with these Terms and Conditions. No addition to, or variation from, such Terms and Conditions shall have effect unless such variation or addition is expressly accepted by A C T, in writing by a Director.

Our catalogues, price lists and all other associated literature and advertising matter shall not form any part of a contract between A C T and their customers. All quotations and contracts shall be submitted and made in England and shall, in all respects, be construed and operate under English law.

## SPECIFICATION

In accordance with our policy of continual product development, we reserve the right to modify designs and specifications of our products without prior notification.

## GUARANTEE

All products manufactured by, on the premises of, A C T carry a 5 year guarantee for normal use. Damages arising from misuse renders the guarantee null and void. **Please note** that wood veneers can crack and split when exposed over time to low humidity levels – our guarantee is **not valid** in these circumstances.

## QUOTATIONS

Orders placed based on a quotation from A C T will be subject to confirmation by us that we accept the same.

We shall endeavour to maintain prices quoted but we reserve the right to increase quoted prices according to any increase in cost of labour or materials which take effect between acceptance and delivery of the order or that part of the order remaining undelivered at the time of such an increase.

## TERMS

Initial orders will be subject to pro-forma payment. Subsequent orders, subject to credit application, will be invoiced under the terms below.

Payment shall be made to A C T Furniture Manufacturers Ltd at the time and in the manner stated in any quotation or, if no time or manner are stated, then within 30 days of the date of our invoice.

In all cases the prices quoted are strictly net.

In the event of non-payment of invoices within these terms, we reserve the right to charge 2% per calendar month on all outstanding accounts.

## DELIVERY

We will endeavour to deliver promptly but we shall be under no liability whatsoever for delay of delivery times or failure to deliver whatever the cause, nor for any loss or damage arising therefrom.

Delivery is included to customers premises within 50 miles of our premises and is assumed to be tailgate with adequate vehicular access . Delivery to premises other than those of the customer will be subject to a charge of 5% of the net order value or £50.00 whichever is the greater.

Deliveries in excess of 50 miles of our premises may be subject to additional charges. Deliveries of orders under £1000 net will be subject to an additional small order charge of £50.00.

Any damages should be notified to us within 3 (three) days of delivery.

## TITLE OF GOODS

The title and the property in goods supplied by us does not pass until payment in full has been received by A C T; risk in respect of such goods passes to the customer from the moment of delivery.

## SUPPLY

We reserve the right to refuse supply of any order at the Managements' discretion.

## CANCELLATION

Orders cannot be cancelled except on terms which indemnify us against all loss.

# CARE AND MAINTENANCE

This furniture is manufactured using natural wood veneers. Following the guidelines below will help to preserve the quality and finish.

## CLEANING

Soapy, warm, damp cloth followed by a dry cloth  
**– moisture should not be left on the surface at any time**

## SPILLAGE

Any spillages should be wiped up with a dry cloth straight away – whether hot or cold

## MARKS

Office equipment, faxes, calculators, telephones etc should be placed on a pad. Black rubber pads/feet on the underside may mark the veneer

## SCRATCHES

Avoid any metal objects on the surfaces as they may scratch. Once a scratch appears it is not possible to remove

## SOLVENTS

Tippex, adhesives, nail varnish etc may remove the lacquer from the surface – avoid use of these materials

## HEAT

Do not place furniture against any heat source – this will dry out the wood and cause shrinking and splitting

## SUNLIGHT

Direct sunlight will increase the aging process. Some wood will fade, some will darken. Sunlight only speeds up the process

## OTHER

Wood veneers can crack and split when exposed, over time to low humidity levels (incl air conditioning)

## DO NOT USE SPRAY AND/OR WAX POLISHES