



## Reception units

---

Link	162 > 163
Azurea	164 > 165
4D	166

## Reception

---

Low tables	167
Sofas	168
Easy chairs	168 > 171
Bench units	172 > 173

## Community

---

Cafeteria	174 > 175
Catering	175 > 178

# Link Catalogue pages 256-257

## Guarantee and shade card



2 choices of finish  
for tops



Light walnut MZ  
Pastel white NA  
From stock

## Product description

### Tops

- Desktops made from 28 mm thick particle board covered in melamine;
- 2 choices of finish: light walnut MZ or pastel white NA;
- Straight edges protected by 2 mm thick strips of PVC;
- Fitted with 2 cable ports,  $\varnothing$  80 mm;
- Counter tops made from 12 mm thick board covered in melamine;
- All modules have a depth of 80 cm except for those designed for people with reduced mobility, which have a depth of 100 cm.


### Structure

- Upright sections made from 12 mm thick board covered in melamine;
- Legs are 52 mm in thickness and have straight edges protected by 2 mm thick strips of PVC;


- Short legs enable users to move freely between the different sections of the reception unit;
- Long legs at each end of the unit provide the perfect finish;
- Uprights and legs are trimmed with 2 decorative horizontal bands in brushed aluminium;
- Free-standing modules are fitted with 2 legs 80 cm in depth. They can be placed next to each other, but movement between the 2 modules then becomes difficult;
- Intermediate modules are fitted with 2 short legs and must always stand between other modules;
- Left-hand end modules are fitted with a leg 80 cm in depth on the left-hand side and a short leg on the right-hand side. Right-hand end modules are fitted with a leg 80 cm in depth on the right-hand side and a short leg on the left-hand side. Left-hand and right-hand end modules are used to complete configurations of intermediate modules.

## The Range


### Low standard modules




### Low standard modules for people with reduced mobility



### High standard modules













### Low 90° corner module High 90° corner module



	description	code	price ex. VAT
<b>Standard modules, height 74 cm</b>			
	W. 80 cm - free-standing module	6 611 031 + finish	£ 822
	W. 80 cm - intermediate module	6 611 049 + finish	£ 739
	W. 80 cm - left-hand end module	6 611 007 + finish	£ 789
	W. 80 cm - right-hand end module	6 611 001 + finish	£ 789
	W. 120 cm - free-standing module	6 611 033 + finish	£ 905
	W. 120 cm - intermediate module	6 611 051 + finish	£ 822
	W. 120 cm - left-hand end module	6 611 009 + finish	£ 872
	W. 120 cm - right-hand end module	6 611 003 + finish	£ 872
	W. 160 cm - free-standing module	6 611 035 + finish	£ 988
	W. 160 cm - intermediate module	6 611 053 + finish	£ 905
	W. 160 cm - left-hand end module	6 611 011 + finish	£ 955
	W. 160 cm - right-hand end module	6 611 005 + finish	£ 955
<b>Standard modules, height 74 cm, for people with reduced mobility</b>			
	W. 120 cm - free-standing module	6 611 084 + finish	£ 988
	W. 120 cm - intermediate module	6 611 087 + finish	£ 905
	W. 120 cm - left-hand end module	6 611 080 + finish	£ 955
	W. 120 cm - right-hand end module	6 611 079 + finish	£ 955

## Price guide - Reception


	description	code	price ex. VAT
<b>Standard modules, height 106 cm</b>			
	W. 80 cm - free-standing module	6 611 032 + finish	£ 1 071
	W. 80 cm - intermediate module	6 611 050 + finish	£ 988
	W. 80 cm - left-hand end module	6 611 008 + finish	£ 1 038
	W. 80 cm - right-hand end module	6 611 002 + finish	£ 1 038
	W. 120 cm - free-standing module	6 611 034 + finish	£ 1 237
	W. 120 cm - intermediate module	6 611 052 + finish	£ 1 154
	W. 120 cm - left-hand end module	6 611 010 + finish	£ 1 204
	W. 120 cm - right-hand end module	6 611 004 + finish	£ 1 204
	W. 160 cm - free-standing module	6 611 036 + finish	£ 1 403
	W. 160 cm - intermediate module	6 611 054 + finish	£ 1 320
	W. 160 cm - left-hand end module	6 611 012 + finish	£ 1 370
	W. 160 cm - right-hand end module	6 611 006 + finish	£ 1 370
<b>90° corner modules, height 74 cm</b>			
	free-standing module	6 611 065 + finish	£ 988
	intermediate module	6 611 071 + finish	£ 905
	left-hand end module	6 611 057 + finish	£ 955
	right-hand end module	6 611 055 + finish	£ 955
<b>90° corner modules, height 106 cm</b>			
	free-standing module	6 611 066 + finish	£ 1 320
	intermediate module	6 611 072 + finish	£ 1 237
	left-hand end module	6 611 058 + finish	£ 1 287
	right-hand end module	6 611 056 + finish	£ 1 287
<b>Complementary furniture</b> - X'PERT tambour cupboards, with shells in aluminium grey (SA) and tambour doors in a white (SO) or walnut (RF) finish			
<b>Tambour cupboard, height 198 cm</b>			
	W. 120 cm - 4 shelves + rail	6 611 076 + door fin. + SA	£ 598
	W. 100 cm - 4 shelves + rail	6 611 075 + door fin. + SA	£ 598
<b>Tambour cupboard, height 100 cm</b>			
	W. 120 cm - 2 shelves + rail	6 611 074 + door fin. + SA	£ 432
	W. 100 cm - 2 shelves + rail	6 611 073 + door fin. + SA	£ 432
<b>Optional top - in a white (RE) or walnut (RF) finish.</b>			
	W. 120 cm	6 611 089 + finish	£ 62
	W. 100 cm	6 611 088 + finish	£ 54
<b>Mobile pedestals in aluminium grey (SA) - with melamine tops in a white (RE) or walnut (RF) finish.</b>			
 	1 box drawer + 1 filing drawer	6 611 077 + top fin. + SA	£ 257
	3 box drawers	6 611 078 + top fin. + SA	£ 257

# Azurea Catalogue pages 258-259

## Guarantee and shade card



3 choices of finish for desktops



Brown oak ML  
White oak MN  
Amber cherry RA

From stock


## Product description

- Top**
- 25 mm thick melamine-faced particle board in 3 choices of finish: brown oak (ML), white oak (MN) or amber cherry (RA);
  - Straight edges protected by a 2 mm thick strip of ABS;
  - 12 mm thick counter tops, depth 32 cm, made from toughened glass in an acid matt finish. Counter tops have aluminium studs glued to their lower surface which are themselves attached by screws to metal spacers.

**Structure**

- Panels
  - standard front panels are made from 18 mm thick melamine-faced particle board;
  - curved front panels are made from 18mm thick melamine-faced plywood;
  - all panels are 106.8 cm in height and fitted with stabilizer feet;
  - each panel features on its visitor side a decorative trim comprising two 5 mm high horizontal PVC strips in a stainless steel finish;
  - side panels are made from 25 mm thick melamine-faced particle board in an aluminium finish with edges protected by a 2 mm thick strip of PVC. Screw fixing kits are required for assembly;
- Intermediate tubular metal legs, of conical design in an aluminium finish, must be placed beneath the junction of adjacent desktops.

## The Range



description	code	price ex. VAT
-------------	------	---------------

### Reception units

Free-standing modules (in order to create the reception unit you require, you need to order modules, legs, side panels and side panel fixing kits).

Image	Standard modules	code	price ex. VAT
	① High module, W. x D. x H. cm: 100 x 75 x 110	6 237 197 + finish	£ 689
	② High module, W. x D. x H. cm: 160 x 75 x 110	6 237 201 + finish	£ 909
	③ Low module, W. x D. x H. cm: 100 x 95 x 72	6 237 270 + finish	£ 494
<b>Corner modules</b>			
	④ High internal 90° corner module, D. x H. cm: 75 x 110	6 237 145 + finish	£ 1 004
	⑤ High internal 60° corner module, D. x H. cm: 75 x 110	6 237 049 + finish	£ 1 075
	⑥ Low internal 60° corner module, D. x H. cm: 95 x 110	6 237 122 + finish	£ 676

Leg - must be placed beneath the junction of adjacent desktops.



Intermediate leg	6 237 007 SA	£ 66
------------------	--------------	------

Side panels (one to be placed at each end of the reception unit)

	① For high module	left-hand panel	6 645 019 MH	£ 95
		right-hand panel	6 645 018 MH	£ 95
	② For low module	low panel	6 645 024 MH	£ 66
	③ For low module	mini panel	6 645 025 MH	£ 71
For a low end module, please order 1 low panel + 1 mini panel				
For a low intermediate module, please order 2 mini panels				

Fixing kit for 2 panels (required for all panels)	6 645 001	£ 166
---	-----------	-------

## Price guide - Reception

	description	code	price ex. VAT
Complete configurations (prices include support legs, side panels and fixings)			
	3 high internal 60° corner modules	6 645 002 + finish	£ 3 619
	1 high standard module, W. 100 cm + 1 high internal 90° corner module + 1 high standard module, W. 160 cm	6 645 003 + finish	£ 2 963
	1 low internal 60° corner module + 1 high standard module, W. 100 cm + 1 high internal 60° corner module	6 645 004 + finish	£ 2 880
	1 low standard module, W. 100 cm + 2 high standard modules, W. 160 cm	6 645 005 + finish	£ 2 839
<b>Complementary furniture</b>			
High cupboard, H. 198 cm			
	① 2 standard doors	6 645 014 + finish + MH	£ 444
	② 2 low doors + 2 glass doors	6 645 016 + finish + MH	£ 540
	③ 2 low doors + bookshelves	6 645 017 + finish + MH	£ 344
Medium cupboard, H. 134 cm			
	① 2 standard doors	6 645 010 + finish + MH	£ 324
	② 2 glass doors	6 645 011 VR MH	£ 457
Low cupboard, H. 70 cm			
	2 standard doors	6 645 006 + finish + MH	£ 208
Decorative tops for cupboards			
	Melamine top, W. 80 cm	6 645 026 + finish	£ 43
	Glass top, W. 80 cm	6 645 027 VR	£ 79
Melamine mobile pedestals			
	1 box drawer + 1 filing drawer	6 645 028 + finish	£ 241
	3 box drawers	6 645 029 + finish	£ 241

# 4D Evolution catalogue page 260

## Guarantee and shade card



3 choices of HPC+ top finish



Golden cherry RA  
Salmon pear RB  
Golden beech RC

From stock

1 structure finish



Aluminium

SA

From stock









## Product description

- 25 mm thick particle board, density 650 kg/m<sup>3</sup>;
- wood "ecologically certified" by the PEFC and FSC, in recognition that all or a proportion of the timber used is sourced from sustainably managed forest. Our tops are made from material certified to FSC-STD-40-004 (vers.01);
- particle board certified to E1 (control of formaldehyde emissions) with an emission level of 6.5 mg HCNO/100 mg and compliant with standards EN 120/92 and NF EN 717-2;
- board is covered with a sheet of decorative monochrome or wood effect paper - the finish. During the High Resistance Melamine process, this finish is impregnated with a duroplastic resin to provide maximum protection, an industrial process which ensures that the furniture achieves outstanding results in terms of resistance to scratching and abrasion, thereby meeting the EN438 standard. An additional sheet of paper applied to the underside of tops to provide balance is also impregnated with duroplastic resin;
- edges protected by a 2 mm thick strip of ABS (Acrylonitrile Butadiene Styrene), which is glued to the board and rounded at the top and bottom for maximum user comfort;
- particle board fire safety classification: in accordance with the FD - P92-057 standard, particle board greater or equal to 18 mm in thickness is classified as M3 (combustible, moderately flammable);
- maintenance advice: use soapy water and avoid products which contain solvents.

### Counter tops

- one piece construction for standard and 90° units, comprising 4 metal tubes, ø 55 mm, thickness 20/10, welded to a perforated sheet steel modesty panel and tubular crossbar, cross-section 30 x 15 mm, for optimum strength;
- width and usable width: 135 mm;
- usable depth: 300 mm;
- usable height: 330 mm (345 mm for the 90° unit);
- tubular steel legs, ø 55 mm. Steel plates, thickness 5 mm, welded to the legs;
- height of each leg (fixed): 72 cm;
- perforated sheet steel modesty panels, thickness 12/10, securely attached to the tops and legs to the front and sides of the unit.

description	code	price ex. VAT
<b>4D Evolution reception units</b>		
Reception desks, complete with full-height modesty panel, but excluding counter tops.		
	W. 80 cm	6 687 001 + top fin. + fin. £ 390
	W. 120 cm	6 687 002 + top fin. + fin. £ 440
	W. 160 cm	6 687 003 + top fin. + fin. £ 473
	Intermediate 90° link module	6 687 007 + top fin. + fin. £ 365
	Terminal 90° link module	6 687 008 + top fin. + fin. £ 440
<b>Counter tops, complete with front and side modesty panels, for use with reception desks</b>		
	W. 80 cm	6 687 004 + top fin. + fin. £ 216
	W. 120 cm	6 687 005 + top fin. + fin. £ 282
	W. 160 cm	6 687 006 + top fin. + fin. £ 315
	90° link module	6 687 009 + top fin. + fin. £ 440
<b>Side modesty panel</b>		
	For attachment to the side of reception desks	6 687 010 SA £ 75