

Modular shelving units

- Twin tubular uprights of oblong design - cross section 60 x 30 mm;
- 25 mm thick melamine or metal shelves, depth 36 cm, with designer brackets. Flat or sloping versions available;
- Adjustable stabilizer feet;
- Height: 165.5 or 204.5 cm;
- Overall width: starter units 99 cm, add-on units 93 cm;
- Shelf width: 89 cm. Overall depth: 41.2 cm.



① H. 166 cm - 4 flat shelves



② H. 166 cm - 4 sloping shelves



③ H. 166 cm - 3 sloping shelves + 1 magazine rack



④ H. 205 cm - 5 flat shelves






⑤ H. 205 cm - 5 sloping shelves



⑥ H. 205 cm - 4 sloping shelves + 1 magazine rack

5
YEAR
GUARANTEE

Maximum
Load
per shelf:
80 kg





- Shelving unit comprising plain uprights, 6 shelves with the facility to store A4 lateral files, a decorative plinth for added stability and a choice of plain back or X-shaped rear brace;
- Height: 198.5 cm; depth: 36 cm;
- Width: 100 or 120 cm.



① Plain back



② X-shaped rear brace




Shelves formatted to take A4 lateral files



Decorative plinth for added stability



Plain back



X-shaped rear brace



1 shelf colour



Aluminium SS

From stock

2 choices of finish for uprights



Graphite grey SC

From stock



Aluminium SS

From stock

For prices, optional extras and technical specifications, see separate price guide, pages 92.

Multi-purpose shelving units

- Welded, ladder-style uprights - cross section 30 x 60 mm;
- Aluminium grey shelves, adjustable at 50 mm intervals;
- X-shaped rear braces;
- Overall width: starter units 80/100/120 cm, add-on units 77/97/117 cm; shelves 74/94/114 cm. Depth: 36 cm;
- Height: 200 or 240 cm;



① H. 200 cm – 4-6 shelves




② H. 240 cm – 6-8 shelves



3 widths: 80, 100 and 120 cm




Non-marking glides



Pegs for attachment of shelves



Welded, ladder-style uprights



X-shaped rear brace



1 shelf colour
Aluminium SS
From stock

2 choices of finish for uprights
Graphite grey SC
Blue SJ
From stock



Tubular shelving units



- Steel uprights of T-shaped design - cross section 4.5 x 4 cm. Clip-in shelf support bars;
- Shelves specially designed to take heavy loads (125 to 250 kg per shelf according to size);
- Overall width: starter units 71/101/128 cm, add-on units 69/99/126 cm; shelves 67/99/124 cm;
- Available in 3 heights according to model: 200/220/240 cm;
- Available in 3 depths according to model: 35/50/70 cm;
- Optional hardboard tops (shown in main photograph).



Industrial shelving unit
H. 200 x W. 70/100/125 cm
5 shelves



Archival shelving unit
H. 220/240 x W. 70/100/125 cm
7 or 8 shelves*



Tubular shelves made from galvanised steel



Non-marking glides



Clip-in shelf support bars



Optional hardboard top*



2 choices of finish for uprights - industrial shelving units



Graphite grey ZE Light grey SD
From stock

2 choices of finish for uprights - archival shelving units



Graphite grey ZE Blue SI
From stock

For prices, optional extras and technical specifications, see separate price guide, pages 94 - 95.