


Operator catalogue pages 308-309

Guarantee, standards, shade card and mechanisms



EN 13335



5 choices of fabric colour

Celestial black FA	Dark grey with light grey spots FK	Night blue with blue spots FM	Bright blue FW	Mottled red / bordeaux FZ	On request - allow 4 weeks for delivery. See p. 346-347
--------------------	------------------------------------	-------------------------------	----------------	---------------------------	---

From stock




2 choices of finish for base



Grey aluminium SB	Black nylon SV
-------------------	----------------

From stock



Product description

Mechanisms

- Synchro mechanism, lockable in 4 positions, with adjustable body weight tension control;
- Backrest reverse lock system;
- Backrest height adjustable through 70 mm;
- Seat height adjustable through 110 mm by means of a gas lift mechanism;

Structure

- Seat: Moulded wooden support frame and injection-moulded polypropylene sub-frame;
- Backrest: injection-moulded polypropylene support frame and sub-frame;

Base

- 5 star base in fibreglass reinforced nylon polyamide, ø 620 mm;
- Twin wheel self-locking polyamide castors, ø 50 mm.

Padding

- Seat: CFC-free polyurethane foam, density 40 kg/m³, 45 mm in thickness;
- Backrest: CFC-free polyurethane foam, density 30 kg/m³, 45 mm in thickness;

Covering

- Fabric: 5 colours available from stock.

Arms

- Height-adjustable arms, adjustable through 100 mm, with black polypropylene armrests, adjustable in direction by +/-30° and in depth through 70 mm;
- Fixed, removable arms in black polypropylene.



Cantilever visitor chairs

- Tubular steel base in a black (SG) or hard wearing aluminium (SB) finish;
- CFC-free polyurethane foam padding;
- 5 fabric colours available from stock;
- Polypropylene glides.

Optional extra for synchro chairs


- Seat depth adjustment mechanism (70 mm adjustability).

The Range



	description	code	price ex. VAT		
			Fabric A	Fabric B	Other
Synchro					
	① With height-adjustable arms				
	Aluminium base	5 312 021 + fab. + SB	£ 387	£ 403	-
	Black base	5 312 021 + fab. + SV	£ 350	£ 367	-
	② With fixed arms				
	Aluminium base	5 312 020 + fab. + SB	£ 348	£ 364	-
	Black base	5 312 020 + fab. + SV	£ 311	£ 328	-
	③ Without arms				
	Aluminium base	5 312 019 + fab. + SB	£ 301	£ 318	-
	Black base	5 312 019 + fab. + SV	£ 265	£ 281	-
Cantilever visitor chairs					
	④ With fixed arms				
	Aluminium base	5 312 024 + fab. + SB	£ 203	£ 219	-
	Black base	5 312 024 + fab. + SG	£ 193	£ 210	-
	⑤ Without arms				
	Aluminium base	5 312 023 + fab. + SB	£ 166	£ 183	-
	Black base	5 312 023 + fab. + SG	£ 157	£ 173	-
Optional extra	Seat depth adjustment mechanism (70 mm adjustability). Not compatible with visitor chairs.	5 312 022			£ 30

Guarantee, standards, shade card and mechanisms



On request - allow 4 weeks for delivery. See p. 346-347

2 choices of finish for base



Grey aluminium SB
Black nylon SV
From stock

1 mesh colour



Black puma UH
From stock



Synchro



Adjustable through 50 mm

Product description

Mechanisms

- Synchro mechanism, lockable in 5 positions, with adjustable (side lever operated) body weight tension control;
- Backrest reverse lock system;
- Seat height and tilt lock are controlled from the side by a single push-button lever;
- Seat depth adjustable through 50 mm;
- Seat height adjustable through 115 mm by means of a gas lift mechanism;

Structure

- Seat: injection-moulded polypropylene support frame and sub-frame;
- Backrest: Tubular steel support frame.

Base

- 5 star base in black fibreglass reinforced nylon (SV) or aluminium (SB), ø 690 mm;
- Twin wheel polypropylene castors, ø 50 mm.

Padding

- Seat: Polyether foam, density 34 kg/m³, 60 mm in thickness.

Covering

- Fabric: 4 colours available from stock;
- Stretched fabric backrest cover in very hard-wearing black polyester (UH).




Arms

- Polypropylene arms, adjustable in height through 60 mm and easy to fit or remove.

Cantilever visitor chair

- Tubular steel base in a black (SG) or grey aluminium (SB) finish;
- Polyether foam padding;
- Fabric: 4 colours available from stock;
- Polyurethane glides.


The Range




	description	code	price ex. VAT	Fabric A	Fabric B
Synchro high back					
 	① With height-adjustable arms				
	Aluminium base	5 637 005 + fab. + SB + UH	£ 361	£ 378	
	Black nylon base	5 637 005 + fab. + SV + UH	£ 308	£ 325	
	② Without arms				
	Aluminium base	5 637 004 + fab. + SB + UH	£ 301	£ 318	
	Black nylon base	5 637 004 + fab. + SV + UH	£ 248	£ 265	
Synchro standard back					
 	③ With height-adjustable arms				
	Aluminium base	5 637 007 + fab. + SB + UH	£ 353	£ 369	
	Black nylon base	5 637 007 + fab. + SV + UH	£ 300	£ 316	
	④ Without arms				
	Aluminium base	5 637 006 + fab. + SB + UH	£ 293	£ 310	
	Black nylon base	5 637 006 + fab. + SV + UH	£ 240	£ 256	
Cantilever visitor chair					
	⑤ Cantilever visitor chair				
	Aluminium base	5 637 003 + fab. + SB + UH	£ 221	£ 237	
	Black base	5 637 003 + fab. + SG + UH	£ 221	£ 237	

Primo catalogue pages 312-313

Guarantee, standards, shade card and mechanisms



4 choices of fabric colour for visitor chairs



On request - allow 4 weeks for delivery. See p. 346-347

1 finish for base



Black nylon SV
From stock



Synchro



Adjustable through 50 mm



Adjustable through 72 mm

Product description

Mechanisms

- Synchro mechanism, lockable in 5 positions, with adjustable body weight tension control;
- Adjustment mechanisms operated by a single lever: push button to lock and unlock the backrest and wheel to control the seat height;
- Backrest reverse lock system;
- Backrest height adjustable through 72 mm by means of a ratchet mechanism;
- Seat depth adjustable through 50 mm;
- Seat height adjustable through 140 mm by means of a gas lift mechanism;

Structure

- Seat: injection-moulded polypropylene support frame and sub-frame;
- Backrest: injection-moulded polypropylene support frame and sub-frame;

Base

- 5 star base in polyamide (fibreglass reinforced nylon), ø 630 mm;
- Twin wheel self-locking polyamide castors, ø 50 mm.

Padding

- Seat: CFC-free polyurethane foam, density 30 kg/m³, 45 mm in thickness;
- Backrest: CFC-free polyurethane foam, density 28 kg/m³, 35 mm in thickness;

Covering

- Fabric: 9 colours available from stock.

Arms

- Fixed arms, easy to fit or remove, in black polypropylene;
- Height-adjustable arms, adjustable through 100 mm, in nylon and steel. Easy to fit or remove.

Cantilever visitor chairs


- Black, hard wearing tubular steel base;
- CFC-free polyurethane foam padding;
- 4 choices of fabric colour available from stock;
- Polypropylene glides.

The Range



	description	code	price ex. VAT				
	① With height-adjustable arms	5 308 008 + fab. + SV	<table border="0"> <tr> <td>Fabric A</td> <td>£ 262</td> <td>Fabric B</td> <td>£ 279</td> </tr> </table>	Fabric A	£ 262	Fabric B	£ 279
	Fabric A	£ 262	Fabric B	£ 279			
	② With fixed arms	5 308 007 + fab. + SV	<table border="0"> <tr> <td>Fabric A</td> <td>£ 243</td> <td>Fabric B</td> <td>£ 260</td> </tr> </table>	Fabric A	£ 243	Fabric B	£ 260
Fabric A	£ 243	Fabric B	£ 260				
③ Without arms	5 308 006 + fab. + SV	<table border="0"> <tr> <td>Fabric A</td> <td>£ 207</td> <td>Fabric B</td> <td>£ 223</td> </tr> </table>	Fabric A	£ 207	Fabric B	£ 223	
Fabric A	£ 207	Fabric B	£ 223				
	④ With fixed arms	5 308 012 + fab. + SG	<table border="0"> <tr> <td>Fabric A</td> <td>£ 172</td> <td>Fabric B</td> <td>£ 188</td> </tr> </table>	Fabric A	£ 172	Fabric B	£ 188
	Fabric A	£ 172	Fabric B	£ 188			
⑤ Without arms	5 308 011 + fab. + SG	<table border="0"> <tr> <td>Fabric A</td> <td>£ 135</td> <td>Fabric B</td> <td>£ 152</td> </tr> </table>	Fabric A	£ 135	Fabric B	£ 152	
Fabric A	£ 135	Fabric B	£ 152				

Guarantee, standards, shade card and mechanisms



On request - allow 4 weeks for delivery. See p. 346-347



Black nylon SV
From stock



Synchro Permanent contact Adjustable through 70 mm Adjustable through 50 mm (synchro chairs only)

Product description

Mechanisms

Synchro

- Synchro mechanism, lockable in 5 positions, with adjustable body weight tension control;
- Adjustment mechanisms operated by a single lever: push button to lock and unlock the synchro function and wheel to control the seat height;
- Backrest reverse lock system;
- Backrest height adjustable through 70 mm;
- Seat depth adjustable through 50 mm;
- Seat height adjustable through 130 mm by means of a gas lift mechanism.

Permanent contact

- Permanent contact mechanism, lockable in any position;
- Backrest height adjustable through 70 mm;
- Seat height adjustable through 130 mm by means of a gas lift mechanism.

Structure

- Seat: injection-moulded polypropylene support frame and sub-frame;
- Backrest: injection-moulded polypropylene support frame and sub-frame.

Base

- 5 star base in black (SV) polyamide (fibreglass reinforced nylon), ø 640 mm;
- Twin wheel self-locking polyamide castors, ø 50 mm.

Padding

- Seat: CFC-free polyurethane foam, density 35 kg/m³, 45 mm in thickness;
- Backrest: CFC-free polyurethane foam, density 30 kg/m³, 40 mm in thickness.

Covering

- Fabric: 4 colours available from stock.


Arms

- Height-adjustable polypropylene arms with upper sections in polyurethane, adjustable through 70 mm and easy to fit or remove;
- Fixed arms in black polypropylene, easy to fit or remove.

Cantilever visitor chairs

- Black (SG) hard wearing tubular steel base;
- CFC-free polyurethane foam padding;
- 4 choices of fabric colour available from stock;
- Polypropylene glides.

The Range



	description	code	price ex. VAT	
			Fabric A	Fabric B
Synchro				
	① With height-adjustable arms	5 358 022 + fab. + SV	£ 251	£ 267
	② With fixed arms	5 358 021 + fab. + SV	£ 235	£ 251
	③ Without arms	5 358 020 + fab. + SV	£ 198	£ 215
Permanent contact				
	④ With height-adjustable arms	5 358 030 + fab. + SV	£ 201	£ 217
	⑤ With fixed arms	5 358 029 + fab. + SV	£ 185	£ 202
	⑥ Without arms	5 358 028 + fab. + SV	£ 149	£ 165
Cantilever visitor chairs				
	⑦ With fixed arms	5 358 016 + fab. + SG	£ 172	£ 188
	⑧ Without arms	5 358 015 + fab. + SG	£ 135	£ 152

Goblin catalogue pages 316-317

Guarantee, standards, shade card and mechanisms

3
YEAR
GUARANTEE

EN 1335
1/2/3

4 choices of fabric colour

44
COLOURS

Carmine red fire-resistant DX
Celestial black FA
Graphite grey FU
Electric blue FW

On request - allow 4 weeks for delivery. See p. 346-347

From stock

1 finish for base

Black nylon SV

From stock

Synchro Permanent contact

Adjustable through 70 mm

Adjustable through 60 mm

Synchro Permanent contact

Product description

Mechanisms

High back synchro:

- Synchro mechanism, lockable in 5 positions, with adjustable body weight tension control;
- Backrest reverse lock system;
- Backrest height adjustable through 70 mm;
- Seat height adjustable through 115 mm by means of a gas lift mechanism.

Low back permanent contact:

- Permanent contact mechanism, lockable in any position;
- Backrest height adjustable through 60 mm;
- Seat height adjustable through 115 mm by means of a gas lift mechanism.

Structure

- Seat: injection-moulded polypropylene support frame and sub-frame;
- Backrest: injection-moulded polypropylene support frame and sub-frame.

Base

- 5 star base in black (SV) polyamide (fibreglass reinforced nylon), \varnothing 690 mm;
- Twin wheel polypropylene castors, \varnothing 50 mm.

Padding

- Seat: polyether foam, density 34 kg/m³, 60 mm in thickness;
- Backrest: polyether foam, density 28 kg/m³, 50 mm in thickness.

Covering

- Fabric: 4 colours available from stock.


Arms









- Fixed arms in black polypropylene, easy to fit or remove;
- Height-adjustable arms in black polypropylene, adjustable through 66 mm and easy to fit or remove.

Cantilever visitor chairs

- Black (SG) hard wearing tubular steel base;
- Polyether foam padding;
- 4 fabric colours available from stock;
- Polypropylene glides.

The Range




	description	code	price ex. VAT	
			Fabric A	Fabric B
High back synchro				
	① With height-adjustable arms	5 615 074 + fab. + SV	£ 223	£ 240
	② With fixed arms	5 615 072 + fab. + SV	£ 207	£ 223
	③ Without arms	5 615 070 + fab. + SV	£ 165	£ 182
Low back permanent contact				
	④ With height-adjustable arms	5 615 056 + fab. + SV	£ 190	£ 207
	⑤ With fixed arms	5 615 054 + fab. + SV	£ 173	£ 190
	⑥ Without arms	5 615 052 + fab. + SV	£ 132	£ 149
Cantilever visitor chairs				
	⑦ With fixed arms	5 615 080 + fab. + SG	£ 173	£ 190
	⑧ Without arms	5 615 079 + fab. + SG	£ 140	£ 157

Class A catalogue pages 318-319

Guarantee, shade card and mechanisms

3
YEAR
GUARANTEE

EN 1335
1/2/3



5 choices of fabric colour

Celestial black FA	Dark grey with light grey spots FK	Blue with light blue spots FL	Graphite grey FU	Bright blue FW
-----------------------	---------------------------------------	----------------------------------	---------------------	-------------------

From stock


43
COLOURS

On request - allow 4 weeks for delivery. See p. 346-347

1 finish for base



Black nylon
SV
From stock



Product description

Mechanisms

Synchro

- Synchro mechanism, lockable in 5 positions, with adjustable body weight tension control;
- Backrest reverse lock system;
- Backrest height adjustable through 70 mm;
- Seat height adjustable through 130 mm by means of a gas lift mechanism.

Permanent contact

- Permanent contact mechanism, lockable in any position;
- Backrest height adjustable through 60 mm; backrest depth adjustable through 50 mm;
- Seat height adjustable through 130 mm.

Structure

- Seat: injection-moulded polypropylene support frame and injection-moulded self-supporting polyamide sub-frame;
- Backrest: injection-moulded polypropylene support frame and sub-frame;

Base

- 5 star base in polyamide (fibreglass reinforced nylon), ø 640 mm;
- Twin wheel self-locking polyamide castors, ø 50 mm.

Padding

- Seat: CFC-free polyurethane foam, density 30 kg/m³, 45 mm in thickness;
- Backrest: CFC-free polyurethane foam, density 25 kg/m³, 45 mm in thickness.



Covering

- Fabric: 5 colours available from stock.

Arms

- Fixed arms in black polypropylene, easy to fit or remove;
- Height-adjustable black polypropylene arms with upper sections in polyurethane, adjustable through 70 mm and easy to fit or remove.

The Range



	description	code	price ex. VAT	
			Fabric A	Fabric B
Synchro				
①	① With height-adjustable arms	5 391 036 + fab. + SV	£ 206	£ 222
②	② With fixed arms	5 391 034 + fab. + SV	£ 193	£ 209
③	③ Without arms	5 391 032 + fab. + SV	£ 158	£ 174
Permanent contact				
④	④ With height-adjustable arms	5 391 029 + fab. + SV	£ 172	£ 188
⑤	⑤ With fixed arms	5 391 027 + fab. + SV	£ 159	£ 175
⑥	⑥ Without arms	5 391 025 + fab. + SV	£ 124	£ 140